WIMA SMD-PPS

Metallized Polyphenylene-Sulphide (PPS) SMD Film Capacitors with Box Encapsulation

Special Features

- Size codes 1812, 2220, 2824, 4030,5040 and 6054 with PPS and encapsulated
- Operating temperature up to 140° C
- Self-healing
- Suitable for lead-free soldering
- Low dissipation factor
- Low dielectric absorption
- Very constant capacitance value versus temperature
- According to RoHS 2002/95/EC

Typical Applications


For general applications in high temperature circuits e.g.

- By-pass
- Blocking
- Coupling and decoupling
- Timing
- Filtering
- Oscillating circuits

Construction

Dielectric:

Polyphenylene-sulphide (PPS) film Capacitor electrodes: Vacuum-deposited Internal construction:



Encapsulation:

Solvent-resistant, flame-retardant plastic case, UL 94 V-0 **Terminations:** Tinned plates.

Marking: Box colour: Black.

Electrical Data

Capacitance range: 0.01 µF to 6.8 µF Rated voltages:

63 VDC, 100 VDC, 250 VDC, 400 VDC, 630 VDC, 1000 VDC

Capacitance tolerances: ±20%, ±10% (±5% available subject to special enquiry)

Operating temperature range: -55° C to $+140^{\circ}$ C

Climatic test category:

55/140/56 in accordance with IEC **Insulation resistance** at +20° C:

Test voltage: 1.6 U_r, 2 sec.

Voltage derating: For DC and AC voltages a voltage derating factor of 1% per K must be applied from +100° C and of 2% per K from +125° C.

Reliability:

Operational life > 300 000 hours Failure rate < 2 fit (0.5 x U_r and 40° C)

U _r	U _{test}	C ≤ 0.33 µF	0.33 µF < C ≤ 6.8 µF
63 VDC 100 VDC	50 V 100 V	\geq 1 x 10 ⁴ MΩ (mean value: 3 x 10 ⁴ MΩ)	≥ 3000 sec (M Ω x µ F) (mean value: 6000 sec)
≥ 250 VDC	100 V	\geq 3 x 10 ⁴ MΩ (mean value: 6 x 10 ⁴ MΩ)	≥ 6000 sec (M Ω x µ F) (mean value: 12000 sec)

Measuring time: 1 min.

Dissipation factors at +20° C: tan δ

at f	C ≤ 0.1 µF	0.1 µF < C ≤ 1.0 µF	C > 1.0 µF
1 kHz 10 kHz	$\leq 15 \times 10^{-4}$ $\leq 20 \times 10^{-4}$	$\leq 20 \times 10^{-4}$ $\leq 25 \times 10^{-4}$	≤ 20 x 10 ⁻⁴ -
100 kHz	≤ 50 x 10 ⁻⁴	-	-

Maximum pulse rise time: for pulses equal to the rated voltage

Capacitance µF	63 VDC	Pulse rise time V/µsec max. operation/test 63 VDC 100 VDC 250 VDC 400 VDC 630 VDC 1000 VDC									
0.01 0.022	25/250	25/250	30/300	35/350	40/400	45/450					
0.1 0.22	10/100	10/100	12/120	15/150							
1.0 2.2 3.3 6.8	3/30 2/20	3/30			-	-					
	μF 0.01 0.022 0.033 0.068 0.1 0.22 0.33 0.68 1.0 2.2	μF 63 VDC 0.01 0.022 25/250 0.033 0.068 15/150 0.1 0.22 10/100 0.33 0.68 5/50 1.0 2.2 3/30	Lange max µF 63 VDC 100 VDC 0.01 0.022 25/250 25/250 0.033 0.068 15/150 15/150 0.1 0.22 10/100 10/100 0.33 0.68 5/50 5/50 1.0 2.2 3/30 3/30	Label{eq:Label_constraints} max. operation, μ F 63 VDC 100 VDC 250 VDC 0.01 0.022 25/250 25/250 30/300 0.033 0.068 15/150 15/150 20/200 0.1 0.22 10/100 10/100 12/120 0.33 0.68 5/50 5/50 6/60 1.0 2.2 3/30 3/30 -	Logacitance max. operation/test µF 63 VDC 100 VDC 250 VDC 400 VDC 0.01 0.022 25/250 25/250 30/300 35/350 0.033 0.068 15/150 15/150 20/200 25/250 0.1 0.22 10/100 10/100 12/120 15/150 0.33 0.68 5/50 5/50 6/60 8/80 1.0 2.2 3/30 3/30 - -	Capacitance max. operation/test µF 63 VDC 100 VDC 250 VDC 400 VDC 630 VDC 0.01 0.022 25/250 25/250 30/300 35/350 40/400 0.033 0.068 15/150 15/150 20/200 25/250 28/280 0.1 0.22 10/100 10/100 12/120 15/150 - 0.33 0.68 5/50 5/50 6/60 8/80 - 1.0 2.2 3/30 3/30 - - -					

Dip Solder Test/Processing

Resistance to soldering heat:

Test Tb in accordance with DIN IEC 60068-2-58/DIN EN 60384-20. Soldering bath temperature max. 260° C. Soldering duration max. 5 sec. Change in capacitance Δ C/C < 5%. **Soldering process:**

Wave soldering and re-flow soldering (see temperature/time graphs page 14).

Packing

Available taped and reeled in 12 mm blister pack.

Detailed taping information and graphs at the end of the catalogue.

For further details and graphs please refer to Technical Information.



WIMA SMD-PPS





Continuation

General Data

Capacitance S	63 VDC/40 VAC*				10	0 VDC/63 VAC*	250 VDC/160 VAC*			
	Size code :	Н ± 0.3	Part number	Size code	Н ± 0.3	Part number	Size code	Н ± 0.3		
0.01 µF	1812 2220	3.0 3.5	SMDIC02100X100 SMDIC02100Y100	1812 2220	3.0 3.5	SMDID02100X100 SMDID02100Y100	2220	3.5	SMDIF02100Y100	
0.015 "	1812 2220	3.0 3.5	SMDIC02150X100 SMDIC02150Y100	1812 2220	3.0 3.5	SMDID02150X100 SMDID02150Y100	2220	3.5	SMDIF02150Y100	
0.022 "	1812 2220	3.0 3.5	SMDIC02220X100 SMDIC02220Y100	1812 2220	3.0 3.5	SMDID02220X100 SMDID02220Y100	2220 2824	3.5 3.0	SMDIF02220T100	
0.033 "	1812 2220 2824	3.0 3.5 3.0	SMDIC02330X100 SMDIC02330Y100 SMDIC02330T100	1812 2220 2824	3.0 3.5 3.0	SMDID02330X100 SMDID02330Y100 SMDID02330T100	2824 4030	3.0 5.0	SMDIF02330T100 SMDIF02330K100	
0.047 "	1812 2220 2824	3.0 3.5 3.0	SMDIC02470X100 SMDIC02470Y100 SMDIC02470T100	1812 2220 2824	3.0 3.5 3.0	SMDID02470X100 SMDID02470Y100 SMDID02470T100	2824 4030	5.0 5.0	SMDIF02470T200 SMDIF02470K100	
0.068 "	1812 2220 2824	3.0 3.5 3.0	SMDIC02680X100 SMDIC02680Y100 SMDIC02680T100	2220 2824	3.5 3.0	SMDID02680Y100 SMDID02680T100	2824 4030	5.0 5.0	SMDIF02680T200 SMDIF02680K100	
0.1 µF	1812 2220 2824	3.0 3.5 3.0	SMDIC03100X100 SMDIC03100Y100 SMDIC03100T100	2220 2824	3.5 3.0	SMDID03100Y100 SMDID03100T100	2824 4030 5040	5.0 5.0 6.0	SMDIF03100T200 SMDIF03100K100 SMDIF03100V100	
0.15 "	1812 2220 2824	4.0 3.5 3.0	SMDIC03150X200 SMDIC03150Y100 SMDIC03150T100	2220 2824	3.5 3.0	SMDID03150Y100 SMDID03150T100	4030 5040 6054	5.0 6.0 7.0	SMDIF03150K100 SMDIF03150V100 SMDIF03150Q100	
0.22 "	1812 2220 2824	4.0 4.5 5.0	SMDIC03220X200 SMDIC03220Y200 SMDIC03220T200	2220 2824	4.5 5.0	SMDID03220Y200 SMDID03220T200	4030 5040 6054		SMDIF03220K100 SMDIF03220V100 SMDIF03220Q100	
0.33 "	2220 2824 4030	4.5 5.0 5.0	SMDIC03330Y200 SMDIC03330T200 SMDIC03330K100	2824 4030	5.0 5.0	SMDID03330T200 SMDID03330K100	5040 6054	6.0 7.0	SMDIF03330V100 SMDIF03330Q100	
0.47 "	2220 2824 4030	4.5 5.0 5.0	SMDIC03470Y200 SMDIC03470T200 SMDIC03470K100	2824 4030	5.0 5.0	SMDID03470T200 SMDID03470K100	6054	7.0	SMDIF03470Q100	
0.68 "	2824 4030	5.0 5.0	SMDIC03680T200 SMDIC03680K100	4030	5.0	SMDID03680K100				
	2824 4030 5040	5.0 5.0 6.0	SMDIC04100T200 SMDIC04100K100 SMDIC04100V100	5040	6.0	SMDID04100V100				
1.5 "	4030 5040	5.0 6.0	SMDIC04150K100 SMDIC04150V100	6054	7.0	SMDID04150Q100				
2.2 "	5040 6054	6.0 7.0	SMDIC04220V100 SMDIC04220Q100	6054	7.0	SMDID04220Q100				
	5040 6054	6.0 7.0	SMDIC04330V100 SMDIC04330Q100						number completion: rance: 20 % = M	
4.7 "	6054	7.0	SMDIC04470Q100						10% = K 5% = J	
6.8 "	6054	7.0	SMDIC04680Q100					Lead	Ing: DUK = 5 I length: none = 00 ed version see page 139.	

* AC voltages: f \leq 400 Hz; 1.4 x U $_{rms}$ + UDC \leq U $_{r}$

Dims. in mm.

01.10

Rights reserved to amend design data without prior notification.

WIMA SMD-PPS



Continuation


General Data

		400) VDC/200 VAC*		630	0 VDC/300 VAC*	1000 VDC/400 VAC*				
Capacitance	Size code	H ± 0.3	Part number	Size code	H ± 0.3	Part number	Size code	H ± 0.3	Part number		
0.01 µF	2824	3.0	SMDIG02100T100	5040	6.0	SMDIJ02100V100	5040	6.0	SMDIO12100V100		
0.015 "	2824	5.0	SMDIG02150T200	5040	6.0	SMDIJ02150V100	5040	6.0	SMDIO12150V100		
0.022 "	4030 5040		SMDIG02220K100 SMDIG02220V100	5040	6.0	SMDIJ02220V100	6054	7.0	SMDIO12220Q100		
0.033 "	4030 5040	5.0 6.0	SMDIG02330K100 SMDIG02330V100	5040	6.0	SMDIJ02330V100	6054	7.0	SMDIO12330Q100		
0.047 "	4030 5040	6.0	SMDIG02470K100 SMDIG02470V100	5040	6.0	SMDIJ02470V100					
0.068 "	4030 5040	6.0	SMDIG02680K100 SMDIG02680V100								
0.1 µF	4030 5040 6054	6.0 7.0	SMDIG03100K100 SMDIG03100V100 SMDIG03100Q100								
0.15 "	5040 6054	7.0	SMDIG03150V100 SMDIG03150Q100								
0.22 "	6054	7.0	SMDIG03220Q100								
0.33 "	6054	7.0	SMDIG03330Q100								

* AC voltages: f \leq 400 Hz; 1.4 x U $_{rms}$ + UDC \leq U $_{r}$

Dims. in mm.

Solder pad recommendation



Size code	L ±0.3	₩ ±0.3	d	a min.	b min.	c max.
1812	4.8	3.3	0.5	1.2	3.5	3.5
2220	5.7	5.1	0.5	1.2	4	4.5
2824	7.2	6.1	0.5	1.2	4	6.5
4030	10.2	7.6	0.5	2.5	6	9
5040	12.7	10.2	0.7	2.5	6	11.5
6054	15.3	13.7	0.7	2.5	6	14

Rights reserved to amend design data without prior notification.

Part number completion:Tolerance:20 % = M10 % = K5 % = JPacking:bulk = SLead length: none = 00Taped version see page 139.


Recommendation for Processing and Application of SMD Capacitors



Layout Form

The components can generally be positioned on the carrier material as desired. In order to prevent soldering shadows or ensure regular temperature distribution, extreme concentration of the components should be avoided. In practice, it has proven best to keep a minimum distance of the soldering surfaces between two WIMA SMDs of twice the height of the components.

Solder Pad Recommendation



Size	L	W	d	а	b	С
code	± 0.3	± 0.3		min.	min.	max.
1812	4.8	3.3	0.5	1.2	3.5	3.5
2220	5.7	5.1	0.5	1.2	4	4.5
2824	7.2	6.1	0.5	1.2	4	6.5
4030	10.2	7.6	0.5	2.5	6	9
5040	12.7	10.2	0.7	2.5	6	11.5
6054	15.3	13.7	0.7	2.5	6	14

The solder pad size recommendations given for each individual series are to be understood as minimum dimensions which can at any time be adjusted to the layout form.


Processing

The processing of SMD components

- assembling
- soldering
- washing
- electrical final inspection/ calibrating

must be regarded as a complete process. The soldering of the printed circuit board, for example, can constitute considerable stress on all the electronic components. The manufacturer's instructions on the processing of the components are mandatory.

Soldering Process



Temperature/time graph for the permissible processing temperature of the WIMA SMD film capacitor for typical convection soldering processes.

Due to the diverse procedures and the varying heat requirements of the different types of components, an exact processing temperature for re-flow soldering processes cannot be specified. The graph shows the upper limits of temperature and time which must not be exceeded when establishing the solder profile according to your actual requirements.

A max. temperature of $T = 210^{\circ}$ C inside the component should not be exceeded when processing WIMA SMD capacitors.

SMD Handsoldering

WIMA SMD capacitors with plastic film dielectric are generally suitable for handsoldering with a soldering iron where, however, similar to automated soldering processes, a certain duration and temperature should not be exceeded. These parameters are dependent on the physical size of the components and the relevant heat absorption involved. The below data are to be regarded as guideline values and should serve to avoid damage to the dielectric caused by excessive heat during the soldering process. The soldering quality depends on the tool used and on the skill and experience of the person with the soldering iron in hand.

Size code	Temperature °C / °F	Time duration
1812 2220	225 / 437 225 / 437	2 sec plate 1 / 5 sec off / 2 sec plate 2 3 sec plate 1 / 5 sec off / 3 sec plate 2
2824	250/482	3 sec plate 1 / 5 sec off / 3 sec plate 2
4030	260/500	5 sec plate 1 / 5 sec off / 5 sec plate 2
5040	260/500	5 sec plate 1 / 5 sec off / 5 sec plate 2
6054	260/500	5 sec plate 1 / 5 sec off / 5 sec plate 2



Solder Paste

To obtain the best soldering performance we suggest the use of following solder paste alloy:

Lead free solder paste

Sn - Bi Sn - Zn (Bi) Sn - Ag - Cu

Solder paste with lead

Sn - Pb - Ag (Sn60-Pb40-A, Sn63-Pb37-A)

Washing

Basically, all plastic encapsuled components, irrespective of the brand cannot be considered as being hermetically sealed. They are therefore only suitable for industrial washing processes to a limited extent. During the washing process, washing agents can penetrate the interior of the component by capillary action through microcracks which might have occured. This is dependent on a number of parameters e.g

- washing agents
- viscosity of the washing solvent
- temperature/time of the washing process
- mechanical washing aids such as ultrasonic water pressure

rinsing and spraying pressure

The type of washing agent to be used is largely specific to the individual user or is often laid down by the manufacturer of the washing equipment. The agressiveness of the washing agent to be used can thus only be judged in appropriate test series relating to each individual washing process. By and large, the basic rule is that the washing process should be carried out as gently as possible.

Drying

During the washing process, aqueous solutions can penetrate the component. This can lead to changes in the electrical parameters. Suitable drying measures should ensure that no residual moisture or traces of washing substances are left in the component.

Initial Operation/Calibration

Due to the stress which the components are subjected to during processing, reversible parameter changes occur in almost all electronic components. The capacitance recovery accuracy to be expected with careful processing is within a scope of $|\Delta C/C| \le 5 \%$.

For the initial operation of the device a

minimum storage time of

$t \ge 24$ hours

is to be taken into account. With calibrated devices or when the application is largely dependent on capacitance it is advisable to prolong the storage time to

t ≥ 10 days

In this way ageing effects of the capacitor structure can be anticipated. Parameter changes due to processing are not to be expected after this period of time

Humidity Protection Bags

Taped WIMA SMD capacitors are shipped in humidity protection bags according to JEDEC standard, level 1 (EMI/static-shielding bags conforming to MIL-B 81705, Type 1, Class 1). Under controlled conditions the components can be stored two years and more in the originally sealed bag. Opened packing units should be consumed instantly or resealed for specific storage under controlled conditions.

Reliability

Taking account of the manufacturer's guidelines and compatible processing, the WIMA SMD stand out for the same high quality and reliability as the analogous through-hole WIMA series. The technology of metallized film capacitors used e.g. in WIMA SMD-PET achieves the best values for all fields of application. The expected value is about:

 $\lambda_0 \leqslant 2$ fit

Furthermore the production of all WIMA components is subject to the regulations

laid down by ISO 9001:2000 as well as the guidelines for component specifications set out by IEC quality assessment system (IECQ-CECC) for electronic components.

Electrical Characteristics and Fields of Application

Basically the WIMA SMD series have the same electrical characteristics as the analogous through-hole WIMA capacitors. Compared to ceramic or tantalum dielectrics WIMA SMD capacitors have a number of other outstanding qualities :


- favourable pulse rise time
- Iow ESR
- Iow dielectric absorption
- available in high voltage series
- large capacitance spectrum
- stand up to high mechanical stress
- good long-term stability

As regards technical performance as well as quality and reliability, the WIMA SMD series offer the possibility to cover nearly all applications of conventionally throughhole film capacitors with SMD components. Furthermore, the WIMA SMD series can now be used for all the demanding capacitor applications for which, in the past, the use of through-hole components was mandatory:


- measuring techniques
- oscillator circuits
- differentiating and integrating circuits
- A/D or D/A transformers
- sample and hold circuits
- automotive electronics

With the WIMA SMD programme available today, the major part of all plastic film capacitors can be replaced by WIMA SMD components. The field of application ranges from standard coupling capacitors to use in switch-mode power supplies as filter or charging capacitors with high voltage and capacitance values, as well as in telecommunications e.g. the well-known telephone capacitor 1μ F/250VDC.

Blister Tape Packaging and Packing Units of the WIMA SMD Capacitors



Tape advance and return:



Size Code	1812	A0 +0.1	Aı	Bo ±0,1	Bı	Do +0.1	D1 +0,1	P ±0.1	Po* ±0.1	P2 ±0.05	E ±0.1	F ±0.05	G	W ±0,3	W0 +0.2	K ±0,1	T ±0.1
Box size	Code	2011		2011		-0	-0	2011	1011	20.00	2011	20.00		2010	1012	2011	10.1
4.8×3.3×3	XI	3.55	3.3	5.1	4.8	Ø1.5	Ø1.5	8	4	2	1.75	5.5	2.2	12	9.5	3.4	0.3
4.8×3.3×4	X2	3.55	3.3	5.1	4.8	Ø1.5	Ø1.5	8	4	2	1.75	5.5	2.2	12	9.5	4.4	0.3
Size Code	2220	A0	Aı	Bo	Bı	Do	Dı	P	Po*	P2	E	F	G	W	Wo	K	T
Box size	Code	±0.1		±0.1		+0.1 -0	+0.1 -0	±0.1	±0.1	±0.05	±0.1	±0.05		±0.3	±0.2	±0.1	±0.1
5.7x5.1x3.5	Y١	6.3	5.7	5.6	5.1	Ø1.5	Ø1.5	8	4	2	1.75	5.5	1.95	12	9.5	3.7	0.3
5.7x5.1x4.5	Y2	6.3	5.7	5.6	5.1	Ø1.5	Ø1.5	8	4	2	1.75	5.5	1.95	12	9.5	4.7	0.3

Size Code	2824	A0 ±0,1	A۱	Bo ±0,1	Bı	Do +0,1		P +0.1	Po* ±0.1	P2 ±0.05	E ±0.1	F +0.05	G	W +0.3	W0 +0.2	K	T +0.1
Box size	Code	10.1		10.1		-0	-0	10.1	10.1	10.00	10.1	10.00		10.0	10.2	10.1	10.1
7.2×6.1×3	TI	6.6	6.1	7.7	7.2	Ø1.5	Ø1.5	12	4	2	1.75	5.5	0.9	12	9.5	3.4	0.3
7.2×6.1×5	T2	6.6	6.1	7.7	7.2	Ø1.5	Ø1.5	12	4	2	1.75	5.5	0.9	12	9.5	5.4	0.4

	Code	A0 ±0.1		Bo ±0.1			D1 +0.1 -0								₩0 ±0.2		T ±0.1
Size Code 4030	К1	10.7	10.2	9.7	9.1	Ø1.5	Ø1.5	16	4	2	1.75	7.5	1.9	16	13.3	5.9	0.3
Size Code 5040	٧١	13.2	12.7	12.1	11.5	Ø1.5	Ø1.5	16	4	2	1.75	11.5	4.7	24	21.3	7.0	0.3
Size Code 6054	Q1	17.0	16.5	15.6	15.0	Ø1.5	Ø1.5	20	4	2	1.75	11.5	2.95	24	21.3	7.5	0.3

* cumulative after 10 steps \pm 0.2 mm max.

Samples and pre-production needs on request or 1 Reel minimum.

Packing units

30.4

30.4

5040

6054

taped Reel	taped Reel	bı	ulk				
	330 mm Ø	Mini	Standard				
750	2500	1000	3000				
500	2000	1000	3000				

24.4

24.4

90

90

taped Reel	taped Reel	bulk					
	330 mm Ø	Mini	Standard				
500	1800	1000	3000				
400	1500	1000	3000				


taped Reel	bulk					
330 mm Ø	Mini	Standard				
1500	500	2000				
750	500	2000				

taped Reel	bulk					
330 mm Ø	Mini	Standard				
775	500	2000				
600	200	1000				
450	100	500				

Part number codes for SMD packing

		• •						
W (Blister)	Ø in mm	Code						
12	180	Р						
12	Q							
16	330	R						
24	Т							
Bulk Mini	м							
Bulk Stand	S							

WIMA Part Number System



- Field 1 4: Type description
- Field 5 6: Rated voltage
- Field 7 10: Capacitance
- Field 11 12: Size and PCM
- Field 13 14: Special features (e.g. Snubber versions)
- Field 15: Capacitance tolerance
- Field 16: Packing
- Field 17 18: Lead length (untaped)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
м	к	S	2	с	0	2	1	0	0	1	Α	0	0	м	S	S	D
	MKS	2		63 \	/DC		0.0	D1 µF		2.5×6	.5×7.2	-		20%	bulk	6	-2
SMD-F SMD-F SMD-P FKP 02 MKS 0 FKP 2 FKM 2 FKP 2 MKS 2 FKM 2 FKP 2 MKS 2 FKM 3 FKP 3 MKS 4 MKP 4 MKP 4 MKP 1 FKP 1 FKP 1 FKP 1 MKP-X MKP-X MKP-X MKP-X MKP-X MKP-3-) MP 3-1 MP 3-1 MP 3R	PEN PPS 22 22 22 24 4 0 22 2 2 2 2 2 2 2 2 2 2)	ADI ADI KS2 KS2 KS2 KS2 KS2 KS2 KS2 KS2 KS2 KS2	Rated v 16 VDC 2.5 VDC 4 VDC 14 VDC 28 VDC 5 VDC 5 VDC 5 VDC 63 VDC 63 VDC 160 VDC 400 VDC 400 VDC 400 VDC 630 VDC 160 VDC 100 VDC	= AC = A	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	⁷ pF 30 pF 30 pF 30 pF 30 pF 30 pF 30 pF 300 pF 22 μF 47 μF 47 μF 2 μF 7 μF 2 μF	ance: = 0022 = 0047 = 0100 = 0150 = 0220 = 0330 = 0470 = 100 = 1150 = 1220 = 1330 = 1470 = 1680 = 2100 = 2220 = 3470 = 3220 = 3470 = 4470 = 5100 = 5220 = 5470 = 6100 = 6220 = A010	4.8x 5.7x 5.7x 7.2x 7.2x 10.2 12.7y 15.3; 2.5x 3x7, 2.5x 3x7, 2.5x 3x8, 3x9, 4x9, 5x11 6x12 5x14 6x12 5x14 6x12 9x19 11x2 9x19	3.3 x 3 9 3.3 x 4 9 5.1 x 3.5 5.1 x 4.5 6.1 x 3 9 6.1 x 5 9 x 7.6 x 5 x 7.6 x 5 x 10.2 x 6 f x 10.2 x 6 f x 10.2 x 6 f x 10.2 x 6 f x 10.2 x 7.2 f x 10.2 x 7.2	CM7.5 CM7.5 M 10 M 10 CM 15 PCM 15 PCM 22 PCM 22 PCM 27 PCM 27 PCM 37 PCM 37 DCH_	2 = X2 = Y2 = Y2 = Y2 = Y2 = Y2 = Y2 = Y	1 2 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1	Toleran 20% 10% 5% 2.5% 1% Packing AMMO AMMO AMMO AMMO AMMO AMMO AMMO AMM	= M = K = J = H = E H16.5 3 H16.5 4 H18.5 3 H18.5 4 6.5 360 6.5 360 8.5 360 8.5 360 8.5 360 8.5 500 (6.5 8.5 500 (6.5 8.5 W12 18 W12 33 W16 33 W12 33 W12 33 W16 33 W12 33 W16 33 W12 33 W12 33 W16 33 W12 33	90 x 37(40 x 34(90 x 37(30 30 30) = B) = C
DC-LIN DC-LIN Super(NK MKP 4 NK MKP (NK HC		CPC CH_ CSC	4000 VE 6000 VE 250 VAC 275 VAC 300 VAC 400 VAC	$\begin{array}{l} OC = YC \\ C = 0V \\ C = 1V \\ C = 2V \end{array}$) 50 V 10 V 11 V 60) F)0 F 0 F)0 F	= A025 = A500 = B100 = B110 = B600 = C120	Stand Versid Versid	on Al on Al.l	tures: = 00 = 1A .1 = 1B = 1C			Lead le 3.5 ±0.5 6 -2 16 -1		ntaped)	
SuperC		= SC = SC	CSR	440 VAC 500 VAC	=4V	V		0.20			.0						

The data on this page is not complete and serves only to explain the part number system. Part number information is listed on the pages of the respective WIMA range.

01.10