ROHM


Conductive polymer chip tantalum capacitors (Bottom surface electrode type : Large capacitance)


TCTO Series AL Case

Features (AL)

- 1) Conductive polymer used for the cathode material.
- 2) Ultra low ESR
- 3) Small package, but big capacitance
- 4) Screening by thermal shock

•Dimensions (Unit : mm)





* This specification has possibility of charge, due to underdevelopment product. Please ask for latest specification to our sales.

• Rated table

			((ESR : mΩ)			
(μF)	Rated voltage (V.DC)						
(μι)	2.5	4	6.3	10			
22 (226)				200			
33 (336)				200			
47 (476)			200				
68 (686)		200	*200				
100 (107)	200	200	*70/200				
150 (157)	*200						
220 (227)							

*Under development

• Marking


The indications listed below should be given on the surface of a capacitor.

- (1) Polarity : The polarity should be shown by \Box bar. (on the anode side)
- (2) Rated DC voltage : Due to the small size of AL case, a voltage code is used as shown below.
 (3) Visual typical example
 (1) voltage code
 (2) capacitance code

Voltage Code	Rated DC Voltage (V)
е	2.5
g	4
j	6.3
A	10

Capacitance Code	Nominal Capacitance (µF)				
j	22				
n	33				
S	47				
w	68				
ā	100				
ē	150				

[AL case] note 1) $\frac{j}{(1)}$ $\frac{s}{(2)}$



note 2) voltage code and capacitance code are variable with parts number

• Characteristics

	n	Performance					Test conditions (based on JIS C 5101-1 and JIS C 5101-3					
Operating Tem	perature	-55°C to +105°C				Voltage reduction when temperature exceeds +85°C						
Maximum operat temperature with derating	ing no voltage	+8	5°C									
Rated voltage (VDC)	2.5	4	6.3	10		at 85	5°C				
Category voltag	je (VDC)	2	3.2	5	8		at 10)5°C				
Surge voltage (VDC)	3.2	5	8	13		at 85	5°C				
DC Leakage cu	rrent				tisfie list "	ed the voltage on	As per 4.9 JIS C 5101-1 As per 4.5.1 JIS C 5101-3 Voltage : Rated voltage for 5min					
Capacitance tol	erance	Shall be satisfied allowance range. ±20%					As per 4.7 JIS C 5101-1 As per 4.5.2 JIS C 5101-3 Measuring frequency : 120±12Hz Measuring voltage : 0.5Vrms +1.5 to 2V.DC Measuring circuit : DC Equivalent series circuit					
Tangent of loss (Df, tan δ)	angle	Shall be satisfied the voltage on " Standard list "					As per 4.8 JIS C 5101-1 As per 4.5.3 JIS C 5101-3 Measuring frequency : 120±12Hz Measuring voltage : 0.5Vrms +1.5 to 2V.DC Measuring circuit : DC Equivalent series circuit					
ESR		Shall be satisfied the voltage on " Standard list "			As per 4.10 JIS C 5101-1 As per 4.5.4 JIS C 5101-3 Measuring frequency : 100±10kHz Measuring voltage : 0.5Vrms or less Measuring circuit : DC Equivalent series circuit							
Resistance to Soldering heat	Appearance	There should be no significant abnormality. The indications should be clear.					As per 4.14 JIS C 5101-1 As per 4.6 JIS C 5101-3					
	L.C.	Less than 300% of initial limit Within ±20% of initial value			Dip in the solder bath Solder temp : 240±5°C Duration : 10±0.5s							
	ΔC / C											
	Df (tan δ)	Less than 300% of initial limit					 Repetition : 1 After the specimens, leave it at room temperature for over 24h and then measure the sample. 					
Temperature cycle	Appearance	There should be no significant abnormality. The indications should be clear.					As per 4.16 JIS C 5101-1 As per 4.10 JIS C 5101-3					
	L.C.	Less than 1000% of initial limit				0% of initial limit	Repetition : 5 cycles (1 cycle : steps 1 to 4) without discontinuation.					
	ΔC / C	Within ±20% of initial value				f initial value			Temp.	Time		
Df (tan δ)		Less than 300% of initial limit				% of initial limit	1	1	-55±3°C	30±3min.		
								2	Room temp.	3min. or less		
								3	105±2°C	30±3min.		
								4	Room temp.	3min. or less		
Moisture resistance	Appearance	There should be no significant abnormality. The indications should be clear.			As per 4.22 JIS C 5101-1 As per 4.12 JIS C 5101-3							
	L.C.	Le	ss tł	nan	3009	% of initial limit		After leaving the sample under such atmospheric condition that the temperature and humidity are 40±2°C and 90 to 95% RH, respectively, for 500±12h				
	ΔC / C	Wi	thin	+30	/-20	% of initial value						
	Df (tan δ)	Within +30/-20% of initial value Less than 300% of initial limit					leave it at room temperature for 24h and then measure the sample.					

Iter	m	Performance	Test conditions (based on JIS C 5101-1 and JIS C 5101-					
mperature	Temp.	–55°C	As per 4.29 JIS C 5101-1 As per 4.13 JIS C 5101-3					
ability	∆C / C	Within 0/–20% of initial value						
	Df (tan δ)	Shall be satisfied the voltage on " Standard list "						
	L.C.	-						
	Temp.	+105°C						
	ΔC / C	Within +50/0% of initial value						
	Df (tan δ)	Shall be satisfied the voltage on " Standard list "						
	L.C.	Less than 1,000% of initial value						
rge voltage	Appearance	There should be no significant abnormality.	As per 4.26JIS C 5101-1 As per 4.14JIS C 5101-3					
	L.C.	Less than 200% of initial value	Apply the specified surge voltage every 5 ± 0.5 min. for 30 ± 5 s. each time in the atmospheric condition of $85\pm2^{\circ}$ (
	ΔC / C	Within ±20% of initial value	Repeat this procedure 1,000 times.					
	Df (tan δ)	Less than 200% of initial limit	After the specimens, leave it at room temperature for over 24h and then measure the sample.					
ading at	Appearance	There should be no significant abnormality.	As per 4.23 JIS C 5101-1					
h temperature		Less than 400% of initial limit	As per 4.15 JIS C 5101-3					
			After applying the rated voltage for $1000+72/0$ h without discontinuation via the serial resistance of 3Ω or less					
	ΔC / C	Within ±20% of initial value	at a temperature of $85\pm2^{\circ}$ C, leave the sample at room					
	Df (tan δ)	Less than 300% of initial limit	temperature / humidity for 24h and measure the value.					
rminal ength	Capacitance	The measured value should be stable.	As per 4.35 JIS C 5101-1 As per 4.9 JIS C 5101-3					
	Appearance	There should be no significant abnormality.	A force is applied to the terminal until it bends to 1mm and by a prescribed tool maintain the condition for 5s. (See the figure below) (Unit : mm) F (Apply force) R230 F (Apply force)					
Adhesivene	ess	The terminal should not come off.	As per 4.34 JIS C 5101-1					
			As per 4.8 JIS C 5101-3 Apply force of 5N in the two directions shown in the figure below for 10±1s after mounting the terminal on a circuit board					
Dimensions	5	Refer to "External dimensions"	Measure using a caliper of JIS B 7507 Class 2 or higher grade.					
Resistance	to solvents	The indication should be clear	As per 4.32 JIS C 5101-1 As per 4.18 JIS C 5101-3 Dip in the isopropyl alcohol for 30±5s, at room temperature.					
Solderabilit	у	3/4 or more surface area of the solder coated terminal dipped in the soldering bath should be covered with the new solder.	As per 4.15.2 JIS C 5101-1 As per 4.7 JIS C 5101-3 Dip speed= 25 ± 2.5 mm / s Pre-treatment (accelerated aging): Leave the sample on the boiling distilled water for 1 h. Solder temp.: $245\pm5^{\circ}$ C Duration : 3 ± 0.5 s Solder : M705 Flux : Rosin 25% IPA 75%					
		Macouro volue should not fluctuate during the						
Vibration	Capacitance	Measure value should not fluctuate during the measurement.	As per 4.17 JIS C 5101-1 Frequency : 10 to 55 to 10Hz/min. Amplitude : 1.5mm					


Data Sheet

• Standard products list, TCTO series AL cace

	Rated voltage 85°C	Category voltage 105°C	Surge voltage 85°C	Cap. 120Hz	Tolerance	Leakage current 25°C		Df 120Hz (%)		ESR 100kHz
Part No.	(V)	(V)	(V)	(μF)	(%)	1WV.5min (µA)	–55°C	25°C 85°C	105°C	(mΩ)
TCTO AL 0E 107 🗆	2.5	2	3.2	100	± 20	25.0	10	10	15	200
*TCTO AL 0E 157 🗆	2.5	2	3.2	150	± 20	37.5	10	10	15	200
TCTO AL 0G 686 🗆	4	3.2	5	68	± 20	27.2	10	10	15	200
TCTO AL 0G 107 🗆	4	3.2	5	100	± 20	40.0	10	10	15	200
TCTO AL 0J 476 🗆	6.3	5	8	47	± 20	29.7	10	10	15	200
*TCTO AL 0J 686 🗆	6.3	5	8	68	± 20	42.9	10	10	15	200
*TCTO AL 0J 107 🗆	6.3	5	8	100	± 20	63.0	15	15	20	200
TCTO AL 1A 226 □	10	8	13	22	± 20	22.0	6	6	9	200
TCTO AL 1A 336 🗆	10	8	13	33	± 20	33.0	10	10	15	200


 \Box =Tolerance(M : ± 20%) *=Under development

• Packaging specifications



• Damp proof package

- 1 One reel is packed in aluminum bag. The size of aluminum bag is 240(a) x 250(b)mm. The size up to 230(c)mm is to zipper.
- 2 A desiccant is packed with a reel.
- ③ The aluminum bag is heat-sealed.
- $\overset{\sim}{(4)}$ The label of the same as the label on the reel is placed on the aluminum bag.



	Notes
No copying c consent of RC	or reproduction of this document, in part or in whole, is permitted without the DHM Co.,Ltd.
The content s	pecified herein is subject to change for improvement without notice.
"Products"). I	specified herein is for the purpose of introducing ROHM's products (hereinafter f you wish to use any such Product, please be sure to refer to the specifications, obtained from ROHM upon request.
illustrate the s	application circuits, circuit constants and any other information contained hereir standard usage and operations of the Products. The peripheral conditions must account when designing circuits for mass production.
However, sho	as taken in ensuring the accuracy of the information specified in this document. buld you incur any damage arising from any inaccuracy or misprint of such ROHM shall bear no responsibility for such damage.
examples of implicitly, any other parties.	information specified herein is intended only to show the typical functions of and application circuits for the Products. ROHM does not grant you, explicitly of license to use or exercise intellectual property or other rights held by ROHM and ROHM shall bear no responsibility whatsoever for any dispute arising from the echnical information.
equipment or	e specified in this document are intended to be used with general-use electronic devices (such as audio visual equipment, office-automation equipment, commu- ces, electronic appliances and amusement devices).
The Products	specified in this document are not designed to be radiation tolerant.
	always makes efforts to enhance the quality and reliability of its Products, a fail or malfunction for a variety of reasons.
against the p failure of any shall bear no	re to implement in your equipment using the Products safety measures to guard ossibility of physical injury, fire or any other damage caused in the event of the Product, such as derating, redundancy, fire control and fail-safe designs. ROHM responsibility whatsoever for your use of any Product outside of the prescribed in accordance with the instruction manual.
system which may result in instrument, tr controller or c of the Produc	a are not designed or manufactured to be used with any equipment, device on a requires an extremely high level of reliability the failure or malfunction of which a direct threat to human life or create a risk of human injury (such as a medica ransportation equipment, aerospace machinery, nuclear-reactor controller, fuel- other safety device). ROHM shall bear no responsibility in any way for use of any cts for the above special purposes. If a Product is intended to be used for any purpose, please contact a ROHM sales representative before purchasing.
be controlled	to export or ship overseas any Product or technology specified herein that may under the Foreign Exchange and the Foreign Trade Law, you will be required to se or permit under the Law.



Thank you for your accessing to ROHM product informations. More detail product informations and catalogs are available, please contact us.

ROHM Customer Support System

http://www.rohm.com/contact/