
# ECX-306X/306IX

## SMD TUNING FORK CRYSTAL





Housing for the ECX-306X/306IX crystal is made from the same thermoplastic that is industry standard for integrated circuits. This ruggedized molded package is excellent for SMD applications.

#### **FEATURES**

- Low profile
- Long term stability
- Industry standard footprint
- Excellent shock resistance
- Excellent environmental characteristics
- Tape and Reel (3,000 pcs)
- RoHS Compliant w/ Exemption for High Temp Solder



## PART NUMBERING GUIDE "EXAMPLE"

MANUFACTURER		FREQUENCY		LOAD CAPACITANCE		PACKAGE TYPE**
ECS	-	.327	-	12.5	-	17X

<sup>\*\*</sup> Package Type examples (-17X= ECX-306,X 17IX= ECX-306IX)

## **OPERATING CONDITIONS/ELECTRICAL CHARACTERISTICS**

PARAMETERS		ECX-306/306I	UNITS
NOMINAL FREQUENCY	Fo	32.768	KHz
LOAD CAPACITANCE	CL	12.5 Standard (6.0 Optional)	pF
DRIVE LEVEL	DL	1 max.	μW
CALIBRATION TOLERANCE	@ 25°C	±20	PPM
EQUIVALENT SERIES RESISTANCE	R <sub>1</sub>	50 max.	ΚΩ
TEMPERATURE COEFFICIENT		-0.040 PPM/°C <sup>2</sup> max.	PPM/(ΔC°)
OPERATING TEMPERATURE RANGE	T <sub>OPR</sub>	-10 ~ +60	°C
MAX. OPERATING TEMPERATURE RANGE		-40 ~ +85	°C
Q FACTOR	Q	50,000 min.	
TURNOVER TEMPERATURE	To	+25 ± 5	°C
STORAGE TEMPERATURE RANGE	T <sub>STG</sub>	-55 ~ +125	°C
INSULATION RESISTANCE	IR	500M $Ω$ min./ DC $100$ V	MΩ
SHUNT CAPACITANCE	Co	1.35 typical	pF
MOTIONAL CAPACITANCE	C <sub>1</sub>	0.003 pF typical	pF
AGING (FIRST YEAR)	Δf/fo	±3 PPM max. @ +25°C	PPM

# PACKAGE DIMENSIONS (mm)




Figure 1) ECX-306 - Top, Side and End views with pin connections




Figure 2) ECX-306**I** - Top, Side and End views with pin connections






Figure 3) ECX-306/306I Land Pattern - Top view

# PARABOLIC TEMPERATURE CURVE



#### RECOMMENDED OSCILLATION CIRCUIT



#### **ELECTRICAL CHARACTERISTICS**

IC: TC 4069P Rf:  $10M\Omega$ Rd:  $330K\Omega$  (As required)  $C_1 = 22pF, C_2 = 22pF$   $V_{DD} = 3.0V$ 

In this circuit, low drive level with a maximum of 1µW is recommended. If excessive drive is applied, irregular oscillation or quartz element fractures may occur.

ECS, INC. INTERNATIONAL 1105 S. RIDGEVIEW, OLATHE, KS 66062 • 913-782-7787 • 800-237-1041 • FAX 913-782-6991 • WWW.ECSXTAL.COM