


Dual NPN Small Signal Surface Mount Transistor **MMDT4401**

FEATURES

- Epitaxial planar die construction.
- Ultra-small surface mount package.



Lead-free



APPLICATIONS

- Dual NPN small signal surface mount transistor

ORDERING INFORMATION

Type No.	Marking	Package Code
MMDT4401	K2X	SOT-23

MAXIMUM RATING @ Ta=25°C unless otherwise specified

Symbol	Parameter	Value	Unit
V_{CBO}	Collector-Base Voltage	60	V
V_{CEO}	Collector-Emitter Voltage	40	V
V_{EBO}	Emitter-Base Voltage	6	V
I_C	Collector Current -Continuous	600	mA
P_D	Power Dissipation	200	mW
$R_{\theta JA}$	Thermal Resistance, Junction to Ambient	625	°C/W
T_j, T_{stg}	Junction and Storage Temperature	-55 to +150	°C

Dual NPN Small Signal Surface Mount Transistor **MMDT4401**

ELECTRICAL CHARACTERISTICS @ Ta=25°C unless otherwise specified


Parameter	Symbol	Test conditions	MIN	MAX	UNIT
Collector-base breakdown voltage	$V_{(BR)CBO}$	$I_C=100\mu A$ $I_E=0$	60	-	V
Collector-emitter breakdown voltage	$V_{(BR)CEO}$	$I_C=1mA$ $I_B=0$	40	-	V
Emitter-base breakdown voltage	$V_{(BR)EBO}$	$I_E=100\mu A$ $I_C=0$	6	-	V
Collector cut-off current	I_{CBO}	$V_{CB}=50V$ $I_E=0$	-	0.1	μA
Collector cut-off current	I_{CEO}	$V_{CE}=35V$ $I_B=0$	-	0.1	μA
Emitter cut-off current	I_{EBO}	$V_{EB}=5V$ $I_C=0$	-	0.1	μA
DC current gain	h_{FE}	$V_{CE}=1V$ $I_C=0.1mA$	20	-	-
		$V_{CE}=1V$ $I_C=1.0mA$	40	-	
		$V_{CE}=1V$ $I_C=10mA$	80	-	
		$V_{CE}=1V$ $I_C=150mA$	100	300	
		$V_{CE}=2V$ $I_C=500mA$	40	-	
Collector-emitter saturation voltage	$V_{CE(sat)}$	$I_C=150mA$ $I_B=15mA$ $I_C=500mA$ $I_B=50mA$	-	0.4 0.75	V
Base-emitter saturation voltage	$V_{BE(sat)}$	$I_C=150mA$ $I_B=15mA$ $I_C=500mA$ $I_B=50mA$	0.75 -	0.95 1.2	V
Transition frequency	f_T	$V_{CE}=10V$ $I_C=20mA$ $f=100MHz$	250		MHz
Output Capacitance	C_{ob}	$V_{CB}=5V, f=1.0MHz, I_E=0$	-	6.5	pF
Delay time	t_d	$V_{CC}=30V, V_{BE}=2V$		15	ns
Rise time	t_r	$I_C=150mA, I_{B1}=15mA$		20	ns
Storage time	t_s	$V_{CC}=30V, I_C=150mA$		225	ns
Fall time	t_f	$I_{B1}=I_{B2}=15mA$		30	ns

Dual NPN Small Signal Surface Mount Transistor **MMDT4401**

PACKAGE OUTLINE

Plastic surface mounted package

SOT-363



PACKAGE INFORMATION

Device	Package	Shipping
MMDT4401	SOT-363	3000/Tape&Reel