



PFC Choke

For STMicroelectronics
L6562 PFC Controller

This power factor correction choke is designed specifically for the STMicroelectronics L6562 PFC controller. It is intended for use in IEC61000-3-2 compliant switch mode power supplies used in televisions, desktop PCs and high-end ac-dc adapters/chargers.

The EB0057-DL is the RoHS-compliant version of the EB0057-C. It is electrically identical and fits the recommended PC board layout.

Coilcraft can design custom transformers with voltage, inductance and DCR values to meet your specific requirements. Contact Coilcraft for more information or for free evaluation samples.

Core material Ferrite

Terminations RoHS compliant tin-silver over tin over copper-clad steel. Other terminations available at additional cost.

Weight 75 g

Ambient temperature -40°C to +85°C

Storage temperature Component: -40°C to +85°C.

Packaging: -40°C to +80°C

Moisture Sensitivity Level (MSL) 1 (unlimited floor life at <30°C / 85% relative humidity)

Failures in Time (FIT) / Mean Time Between Failures (MTBF)

38 per billion hours / 26,315,789 hours, calculated per Telcordia SR-332

Packaging 50 parts per tray

PCB washing Only pure water or alcohol recommended

Part number	Inductance ¹ ±10% (μH)	Primary DCR max (Ohms)	Isolation ² (Vrms)	Turns ratio pri : aux	Isat ³ (A)	Irms ⁴ (A)
EB0057-DL	150	0.09	4800	8 : 1	10.0	4.0



1. Inductance measured at 50 kHz, 0.1 Vrms, 0 Adc.

2. Isolation measured from pins 1 and 2 to pins 13 and 14 with voltage applied for 2 seconds.



3. DC current at which the inductance drops 10% (typ) from its value without current.

4. Current that causes a 40°C temperature rise from 25°C ambient.

5. Electrical specifications at 25°C.



The windings are connected internally as shown



**Recommended
Board Layout**

Dimensions are in $\frac{\text{inches}}{\text{mm}}$

Coilcraft[®]

Specifications subject to change without notice.
Please check our website for latest information.

Document 395 Revised 10/31/08

1102 Silver Lake Road Cary, Illinois 60013 Phone 847/639-6400 Fax 847/639-1469

E-mail info@coilcraft.com Web <http://www.coilcraft.com>