

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0192520134](#)  
**Status:** **Active**  
**Overview:** [wire management products](#)  
**Description:** 195.58mm (7.700") Natural Cable Tie, 18 Pound Tensile Strength, 1000/Bag

**Documents:**

[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

**General**

|                               |   |
|-------------------------------|---|
| Product Family                | Accessories   |
| Series                        | <a href="#">19252</a>   |
| Application Tooling Part Link | 192940002   |
| Comments                      | Maximum bundle diameter = 49.79mm (1.96").<br>Engineering Number N-08-18-9-M-LC |
| Component Type                | Cable Tie   |
| Overview                      | <a href="#">wire management products</a>  |
| Product Name                  | N/A   |

**Physical**


|                               |       |
|-------------------------------|-------|
| Circuits (Loaded)             | N/A   |
| Lock to Mating Part           | None  |
| Packaging Type                | Bag   |
| Temperature Range - Operating | 105°C |

**Material Info**

|                 |                |
|-----------------|----------------|
| Old Part Number | N-08-18-9-M-LC |
|-----------------|----------------|

**Reference - Drawing Numbers**

|               |              |
|---------------|--------------|
| Sales Drawing | SD-19252-001 |
|---------------|--------------|



**EU RoHS**

**ELV and RoHS  
Compliant**

**REACH SVHC**

Not Reviewed

**Halogen-Free**

**Status**

**Not Reviewed**

**Need more information on product  
environmental compliance?**

Email [productcompliance@molex.com](mailto:productcompliance@molex.com)  
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

**China RoHS**



**Search Parts in this Series**


[19252Series](#)

**Application Tooling | [FAQ](#)**

*Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.*

**Global**

| Description                                | Product #                  |
|--|----------------------------|
| ServiceGrade™<br>Economy Cable Tie<br>Tool | <a href="#">0192940002</a> |



N-07-50-MH-9-C-XX

ⓓ

N = CABLE TIES

CABLE TIE LENGTH  
INCHES  
(ROUNDED)

TENSILE STRENGTH  
18 = 18 LBS  
40 = 40 LBS  
50 = 50 LBS  
120 = 120 LBS

TIE TYPE  
(BLANK) = STANDARD TIE  
ID = IDENTIFICATION  
MH = MOUNTING HOLE

INTERNAL DESIGNATOR

AMOUNT PER PACKAGE  
C = 100  
D = 500  
M = 1000

COLORS  
0 = UV BLACK  
9 = NATURAL  
30 = HEAT STABILIZED

SALES DRAWING

|  |                 |                                       |       |   |                      |   |                              |
|--|-----------------|---------------------------------------|-------|---|----------------------|---|------------------------------|
| REMOVE BASE INFO<br>EC NO: ETC2007-0295<br>DRWN: TBOANN02007/02/13<br>CHKD: JMACNEIL 2007/02/13<br>APPR: JMACNEIL 2007/02/14 | QUALITY SYMBOLS | GENERAL TOLERANCES (UNLESS SPECIFIED) |       | SCALE<br>NTS  | DESIGN UNITS<br>INCH | THIRD ANGLE PROJECTION                            | REVISE ON CAD ONLY           |
|  | DESCRIPTION     | mm                                    | INCH  | DIMENSION STYLE<br>IN/MM  |                      | TITLE   |                              |
|  | ▽ = 0           | 4 PLACES ± ---                        | ± --- | DRAWN BY<br>B.ENDERL  | DATE<br>04/05/11     | 19252 SERIES<br>ENGINEERING NUMBERS<br>CABLE TIES |                              |
|  | ∇ = 0           | 3 PLACES ± ---                        | ± --- | CHECKED BY<br>H.BEITZL  | DATE<br>04/05/11     | MOLEX INCORPORATED                                |                              |
| REV  |                 | 2 PLACES ± ---                        | ± --- | APPROVED BY<br>R.DEROSS   | DATE<br>04/05/11     | MATERIAL NO.<br>SEE CHART                         | DOCUMENT NO.<br>SD-19252-001 |
|  |                 | 1 PLACE ± ---                         | ± --- | DRAFT WHERE APPLICABLE<br>MUST REMAIN WITHIN DIMENSIONS   |                      | SHEET NO.<br>1 OF 1                               |                              |
|  |                 | ANGULAR ± ---°                        |       | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                      |   |                              |