


Professional Air Tools












- AIR SPEED SAW: Perfect for autobody work, cutting through manifolds, springs, bolts, wood, fibre glass etc. Supplied with 4 blades. Generates an impressive 2200 strokes per minute.
- AIR BODY SAW: Zips through sheet metal up to 16 gauge. Powerful air motor delivers 10,000 strokes per minute for fast, smooth operation.
- 150MM HAMMER KIT: Delivers up to 5000 blows per minute. Alloy steel barrel
 and heat treated piston for longer life. Kit includes 5 piece chisel set, safety
 quick release retainer, universal coil spring and moulded carrying case.
- •190MM AIR HAMMER KIT: Alloy steel barrel and heat teated piston for longer life. Built in power regulator with trigger control. Kit contains: hammer, 5 piece 7° chisel set, safety retainer, universal coil spring and moulded carrying case.
- •AIR NIBBLER: Cuts sheet metal speedily with minimal distortion. Lever throttle for slow speed starting. Cuts up to 18 gauge.
 - AIR METAL SHEAR: Heavy duty. Extremely versatile. Cuts angles, squares, circles up to 18 gauge.
- AIR CUT OFF TOOL: Heavy duty motor for tough cutting jobs. Built in speed regulator. Throttle with positive self - locking action. Excellent for cutting nuts, boits etc.











SPEED	AVERAGE AIR	ITEM NO	MODEL
	CONSUMPTION		
2200 RPM	6 CFM	07592	AIR SPEED SAW
10,000 RPM	6 CFM	07594	AIR BODY SAW
5000 RPM	3 CFM	07492	150MM HAMMER KIT
3600 RPM	4 CFM	07535	190MM HAMMER KIT
	4 CFM	07584	AIR NIBBLER
2200 RPM	4 CFM	07574	METAL SHEAR
20,000 RPM	4 CFM	07590	CUT OFF TOOL

EACH TOOL COMES COMPLETE WITH ITS OWN INDIVIDUAL SUPPLY OF LUBRICANT 1/4" BSP INLET AND REQUIRES A RECOMMENDED AIR PRESSURE OF 90 PSI (6.2 BAR)

air


Professional Air Tools







- A RUNCH / FLANGE TOOL: The heavy duty head creates a joggled flange to create flush lap plints. Also will punch holes for spot welding etc. Capacity 16 gauge.
 - AIR GREASE GUNE Can be used with standard or flexible nozzle. Takes standard 2 1/3* diameter grease candidge. Quick, easy loading.
- AIR STAPLER KiT: For furniture, upholstery, and light duty contracting applications. Equipped with staples (crown size = ½*). Kit contains: Air stapler. Safety goggles. 2.5mm Hex key, Cil pot (with cil), 6mm staples (600). 10mm staples (600), 14mm staples (600). Mouided carrying case.
- AIR TEXTURE GUN: For spraying textured paint, accustic coatings waterproofing and many other materials. Complete with 1 ¾ gallon plastic hupper and four nozzles (1.5mm - 2.7mm - 3.5mm - 3.6mm). Circular front plate with 5 hole sizes, giving a wide permutation of settings in conjunction with the four nozzles. 45° offset connector for working on ceilings or walls.
 - •14" REVERSIBLE AIR SCREWDRIVER: Easy to use with adjustable torque settings. Complete with screwdriver bits and adaptor.
- 14 REVERSIBLE AIR SCREWDRIVER KIT: Double hammer impact type giving higher torque (110 in 7 lbs) and faster speed for heavy duty fastening jobs. 16 steps kit including 11 screwdriver bits, 14* adaptor for sockets, air regulator and 14* nipple.
- AIR RIVETER: Takes the strain out of riveting. Light and easy to use. Handles rivets up to 3/16" diameter (3/32", 1/8", 5/32", 3/15").









REC. AIR	SPEED	AVERAGE AIR	ITEM NO	MODEL
PRESSURE		CONSUMPTION		
90 PSI	•	5 CFM	07598	AIR PUNCH / FLANGE TOOL
30 - 150 PSI			07540	AIR GREASE GUN
15 - 30 PSI	-	7.5 CFM	07545	AIR TEXTURE GUN
60 PSI	•	6 CFM	07550	AIR STAPLER KIT
90 PSI	2000 RPM	4 CFM	07567	14" REVERSIBLE AIR SCREWDRIVER
90 PSI	8000 RPM	4 CFM	07569	* REVERSIBLE AIR SCREWDRIVER KIT
90 PSI		4 CFM	07552	AIR RIVETER


EACH TOOL COMES COMPLETE WITH ITS OWN INDIVIDUAL SUPPLY OF LUBRICANT, AND '%* BSP INLET.

54




all

Accessories





S ST SIP AIR TOOL OIL







- OBSPLAY PACKAGED AIR COMPRESSION SOURL SUFFICIONS SHEETING SOURL SUFFICION OF COMPRESSION OF SOURCE SHEETING SOURCE SOURC
- •A.R COMPRESSOR COUPLING TO COURT, TO COMPRESSOR COUPLING TO COURT OF A COURT
- TALLES agentify time in a specific in a location educated 'ESCE ALA• Cultivo in the earlie of the earlier or angles

AIR COUPLINGS	ITEM NO
1/4" BSP FEMALE COUPLER	02321
1/4" BSPT MALE COUPLER	02322
1/4" BSPT MALE BAYONET	02323
1/4" BSP FEMALE BAYONET	02324
1/4" BORE HOSE END BAYONET	02326
3/8" BORE HOSE END BAYONET	02327
1/4" BSPT MALE - 1/4" HOSE END	02328
1/4" BSPT MALE - 3/8" HOSE END	02329
1/2" BSPT MALE - 1/2" HOSE END	02331
1/4" BORE DOUBLE END HOSE CONNECTOR	02332
3/8" BORE DOUBLE END HOSE CONNECTOR	02333
1/2" BORE DOUBLE END HOSE CONNECTOR	02334
1/4" BORE HOSE FOR 1/4" BSP UNION NUT	02336
1/4" BSP UNION NUT	02337
REDUCING BUSH 1/2" BSP EXTERNAL TO 1/4" BSP INTERNAL	02338
1/4° BSPT EQUAL UNION	02339
'Y' PIECE ONLY	0234
HOSE CONNECTORS: PACK OF 25	0215
DIY DISPLAY PACKAGING	
1/4" BSP FEMALE COUPLER	0407
1/4" BSPT MALE COUPLER	04110
1/4" BSPT MALE BAYONET	0408
1/4" BSP FEMALE BAYONET	0408
1/4" BORE HOSE END BAYONET	0410
3/8" BORE HOSE END BAYONET	0410
1/4° BSPT EQUAL UNION	0409
DESCRIPTION	
AIR TOOL OIL (1 LITRE)	0234
RECOIL AIR HOSE (6 METRES)	0216
AIR HOSE (26 FT)	0756
AIR HOSE (50 FT)	0757

