




Bugsy 709 2465




Service centre handle



All-steel
Microtec
low noise
power head




High efficiency
Microtec
motor turbine



Triple 3-stage filtration to
hospital standards

One piece deep drawn steel container



4 wheel tracking mobility

NV6-250



NVQ-250.

Now we all know what is meant by 'Steely Quiet'

The NVQ-250 is a total concept which could not be achieved without the unique blend of all steel construction and microtec technology, providing probably the most environmentally acceptable professional vacuum cleaner of our time.

The original NV-250 was established 15 years ago and earned for itself an enviable reputation for quality and performance. This has only been surpassed by the Q model with its breakthrough in low noise technology allowing you to work in areas and at times that have never been acceptable in many of the more sensitive environments.

The NVQ-250 is entirely manufactured from a series of deep-drawn steel pressings, fully formed and rigidised by their very manufacture. All steel parts are finished in durable Nutex, a specially formulated oven-cured epoxy resin coating, and the finished product is designed to take on a tank... and win.









The power head is uniquely quiet, incorporating the Numatic microtec noise reduction system, ensuring machine levels of approximately 50dB A without loss of performance. Add to this specification the standard triple filtration system or optional 99% microtec filtration, rugged 4-wheel mobility and compactness of design, and you have a product unmatched throughout commerce and industry worldwide.




If you think quiet quality makes sense, then the NVQ-250's for you.



TECHNICAL DATA

			
Motor	Power	Airflow	Suction
1000W	240V/220V/120V AC 50/60 Hz	43.5 litres/sec	2100mm/wg
			
Capacity	Cleaning range	Weight	Size
9 litres	23.2m (76ft)	7.5 kgs	340 x 340 x 370mm

* Motor watts shown are MAXIMUM input watts. However, in accord with the specific requirements of the majority of International Approved Agencies, rating labels on machines show MEAN operational watts, being the average watts consumed during normal use, i.e. 1000 watts MAX = 900 watts MEAN.



Accessory Kit - A1 (32mm/1 1/4")

Note: Many other Accessory Kits and Accessories are available for boiler cleaning, vehicle cleaning etc.

Numatic

INTERNATIONAL

Distributed by:

23117/94121A

Numatic International Limited, Chard, Somerset, TA20 2LW

Tel: 01460 68480 Fax: 01460 68560

•Sales Tel: 01460 68600 Fax: 01460 68458