# TEMPIL°, INC.

### MATERIAL SAFETY DATA SHEET

2901 Hamilton Blvd. South Plainfield, NJ 07080 MSDS NO: TS - 300C - 330C DATE: June 10, 2000

PHONE: 908-757-8300 EMERGENCY NO: 800-424-9300 FAX: 908-757-9273

### **SECTION 1 MATERIAL IDENTIFICATION**

PRODUCT NAME: TEMPILSTIK 300°C/572°F, 310°C/590°F, 320°C/608°F, 330°C/626°F

GENERIC NAME OR FAMILY: Temperature Indicating Product

SHIPPING NAMES: **DOT**: Non-regulated **IATA**: Non-regulated

HAZARDOUS COMPONENTS OF MIXTURE	WEIGHT %	OSHA PEL (PPM)	ACGIH TLV (PPM)	CAS Number
Not applicable				

#### **SECTION 313 SUPPLIER NOTIFICATION**

This product contains the following toxic chemical (s) subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and of CFR 372:

ĺ	Chemical Name	%	CAS Number	
ĺ	Not applicable			

### **SECTION 2 PHYSICAL DATA**

BOILING POINT (°F): N.E.	SPECIFIC GRAVITY (H <sub>2</sub> O = 1): N.E.
VAPOR PRESSURE (mm Hg.): N.E.	PERCENT VOLATILE BY VOLUME (%): N.A.
VAPOR DENSITY (AIR =1): N.E.	EVAPORATION RATE (N-Butyl Acetate = 1) : N.A.
SOLUBILITY IN WATER: Negligible	VOLATILE ORGANIC COMPOUNDS (VOC) : N.A.
APPEARANCE AND ODOR: Crayon like solid stick	

### **SECTION 3 FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT ( and Method): N.E.	FLAMMABLE LIMITS	LOWER N.E.	UPPER N.E.	
EXTINGUISHING MEDIA: Water, CO <sub>2</sub> , Dry c	chemical, foam.			
SPECIAL FIRE FIGHTING PROCEDURES: Wear self contained breathing apparatus and protective clothing.				
UNUSUAL FIRE AND EXPLOSION HAZARDS	S: None known			
_				

## **SECTION 4 - REACTIVITY HAZARD DATA**

□ STABILITY: Stable CONDITIONS TO AVOID: Not applicable

Incompatibility (Materials to Avoid): Strong oxidizing agents or strong mineral acids.
Hazardous Decomposition Products: Carbon monoxide, carbon dioxide  HAZARDOUS POLYMERIZATION: Will not occur CONDITIONS TO AVOID: Not applicable
CECTION E CONTROL AND DROTECTIVE MEACURES
SECTION 5 - CONTROL AND PROTECTIVE MEASURES  Respiratory Protection (Specify Type): NIOSH approved if ventilation is insufficient.
Treepiratery Protestion (epochy Typo). The err approved in ventiliation is incambionic.
Protective Gloves: Rubber Eye Protection: Safety glasses
<b>VENTILATION TO BE USED</b> ☐ Local Exhaust Mechanical(general): If local ventilation is insufficient
Other Protective Clothing & Equipment: Not normally required.  Hygienic Work Practices: Wash hands thoroughly after using this product.
SECTION 6 - HEALTH HAZARD DATA
PRIMARY ROUTES   Inhalation   Skin Absorption OF ENTRY
HEALTH HAZARDS  Acute: May cause eye, skin or respiratory tract irritation. Chronic: Unknown
Signs & Symptoms of Exposure: Skin irritation. Vapors may cause headache, dizziness, nausea.  Target Organ Information: Unknown  EMERGENCY FIRST AID PROCEDURES - Seek medical assistance for further treatment, observation and support necessary.
Eye Contact: Flush with water for 15 minutes.  Skin Contact: Wash with soap and water
Inhalation: Remove to fresh air. If breathing is difficult, obtain medical attention.  Ingestion: Obtain immediate medical attention.
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE
Steps to be taken if Material Is Spilled or Released: Sweep up and place in bag for waste disposal.
Waste Disposal Methods: Dispose of in accordance with all Federal, State and local laws.
Precaution to be taken in Handling & Storage: Store in cool, dry area. Avoid skin contact. Avoid breathing vapors.
Other Precautions and/or Special Hazards: Not applicable
HMIS rating: 0= Minimal hazard 1= Slight hazard 2= Moderate hazard 3= Serious hazard 4= Severe hazard
Health: 1 Flammability: 1 Reactivity: 0

This information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees.