

FIGURE 1




FIGURE 2



FIGURE 3




FIGURE 4




FIGURE 5





FIGURE 6



MTG. HOLE A

ADAPTERS BETWEEN SERIES

KINGS PART NUMBER		MILITARY NUMBER (SILVER ONLY)	FIG. NO.	ADAPTER ENDS	NOTES	DIMENSIONS											
SILVER FINISH	TR-5 FINISH					A		B		C		D		t		MTG. HOLE	
						in	mm	in	mm	in	mm	in	mm	in	mm		
1209-7		M55339/20-00201	1	BNC Jack-N Plug		1.31	33.3	0.44	11.2	0.79	20.1						
1209-17		M55339/25-00606	2	BNC Jack-N Jack	Pressurized O-Ring Seal	1.71	43.4	1.03	26.2	0.88	22.4	0.75	19.1	0.357	9.1	A	
1209-18		M55339/49-00349	3	BNC Plug-N Jack		1.48	37.6	0.56	14.2	0.82	15.7						
KA-91-10			4	BNC Plug-TNC Jack		1.25	31.8	0.56	14.2	0.44	11.2						
KA-91-10			5	BNC Jack-TNC Plug		1.25	31.8	0.59	15.0	0.44	11.2						
UG-201A/U	KN-99-35		1	BNC Jack-N Plug		1.31	33.3	0.44	11.2	0.79	20.1						
UG-349B/U			3	BNC Plug-N Jack		1.48	37.6	0.56	14.2	0.82	16.0						
UG-606/U			2	BNC Jack-N-Jack	Pressurized-Gasket Seal. Rexolite Ins.	1.75	44.5	1.02	25.9	0.81	20.6	0.75	19.1	0.242	6.2	A	
UG-636A/U			6	BNC Jack-C Plug		1.21	30.7	0.44	11.2	0.75	19.1						

ADAPTERS BETWEEN SERIES

KINGS




FIGURE 7




FIGURE 8




FIGURE 9

ADAPTERS BETWEEN SERIES

KINGS PART NUMBER		MILITARY NUMBER (SILVER ONLY)	FIG. NO.	ADAPTER ENDS	NOTES	DIMENSIONS									
SILVER FINISH	TR-5 FINISH					A		B		C		D		t	MTG. HOLE
						in	mm	in	mm	in	mm	in	mm	in	mm
1209-28		M55339:51-00001	7	N Plug-TNC Jack		1.31	33.3	0.44	11.2	0.78	19.8				
KA-91-07			7	N Plug-TNC Jack		1.31	33.3	0.44	11.2	0.78	19.8				
KA-91-08			8	N Jack-TNC Plug	Wire Holes	1.56	39.6	0.63	16.0	0.59	15.0				
UB-146A/U			9	N Plug-UHF Jack	Wire Holes	1.18	29.5	0.63	16.0	0.78	19.8				




FIGURE 10




FIGURE 11




FIGURE 12




FIGURE 13




FIGURE 14




FIGURE 15




FIGURE 16




FIGURE 17




FIGURE 18






FIGURE 19



MTG. HOLE A



MTG. HOLE B

ADAPTERS BETWEEN SERIES

KINGS PART NUMBER		MILITARY NUMBER (SILVER ONLY)	FIG. NO.	ADAPTER ENDS	NOTES	DIMENSIONS										
SILVER FINISH	TR-5 FINISH					A		B		C		D		t		MTG HOLE
						in	mm	in	mm	in	mm	in	mm	in	mm	
879-4-15-MA9			10	SMA Jack-BNC Plug		1.04	26.4	0.56	14.2							
879-5-15-MA9			11	SMA Plug-BNC Jack		1.02	26.0	0.59	15.0							
879-8-15-MA9			12	SMA Jack-TNC Plug		1.04	26.4	0.59	15.0							
879-10-15-MA9			13	SMA Plug-BNC Plug		1.08	27.4	0.56	14.2							
879-14-15-MA9			14	SMA Jack-BNC Jack		1.20	30.5	0.59	15.0					0.202	5.1	A
1200-1-15-MA9			15	SMA Jack-N Plug		1.04	26.4	0.80	20.3							
1200-2-15-MA9			16	SMA Plug-N Jack		1.04	26.4	0.67	17.0							
1200-3-15-MA9			17	SMA Plug-N Plug		1.08	27.4	0.80	20.3							
1200-4-15-MA9			18	SMA Jack-N Jack		1.00	25.4	0.67	17.0							
1200-5-15-MA9			19	SMA Jack-N Jack		1.50	40.4	0.67	17.0					0.221	5.6	B




FIGURE 20



FIGURE 21



FIGURE 22

ADAPTERS BETWEEN SERIES																
KINGS PART NUMBER		MILITARY NUMBER (SILVER ONLY)	FIG. NO.	ADAPTER ENDS	NOTES	DIMENSIONS										
SILVER FINISH	TR-5 FINISH					A		B		C		D		t		MTG. HOLE
						in	mm	in	mm	in	mm	in	mm	in	mm	
	1079-2		20	K-LOC Plug-BNC Jack		1.40	35.6	0.56	14.2							
	1079-3		21	K-LOC Jack-BNC Plug		0.93	23.6	0.56	14.2							
	1079-4		22	K-LOC Jack-BNC Jack	Bulkhead	1.07	27.2	0.60	15.2	0.52	13.2	0.50	12.7	0.14 3.5		