





Tous droits strictement réservés. Reproduction ou communication à des tiers sans autorisation écrite du propriétaire.  
 All rights strictly reserved. Reproduction or communication to third parties without written authority from the proprietor.  
 Copyright BERG ELECTRONICS, Inc.

BERG  
ELECTRONICS


All rights strictly reserved. Reproduction or communication to third parties without written authority from the proprietor.  
 Copyright BERG ELECTRONICS, Inc.



RECOMMENDED PANEL CUT-OUT




RECOMMENDED P.C.B. LAOUT



METAL SHELL  
NOTE 4

POS. NO. CONFIGURATION



# NOTES:

1. RECOMMENDED P.C.B. THICKNESS 1.60 MM
2. HOUSING MAT'L: NYLON 66, 25% GLASS REINFORCED, COLOR: SEE TABLE
3. CONTACTS: PHOS BRONZE ALLOY UNS-C51000, Ø 0.460 ROUND WIRE, PLATING SEE TABLE.
- ④ METAL SHELL MATERIAL:  
COPPER ALLOY, 0.20MM THICK.  
FINISH: TIN-LEAD, 100 µ" THICK
5. PACKAGING PER GES-14-361, USING TUBE

PRODUCT NO	NUMBER OF POS.	LOADED POSITION	HSG COLOR
74691-X661	6	ALL POS.	BLACK
74691-X641		2,3,4,5	
74691-X621		3,4	
74691-X662	6	ALL POS.	GRAY
74691-X642		2,3,4,5	
74691-X622		3,4	

PLATING CODE X	PLATING
0	30 µ" G.X.T.
1	15 µ" AU
2	20 µ" GFPD
3	30 µ" AU
4	15 µ" G.X.T.
5	50 µ" AU
6	6 µ" AU
7	2 µ" AU

mat'l code				tolerance unless otherwise specified		CUSTOMER COPY		BERG ELECTRONICS	
rev.	ecn no.	dr	date	linear	0 ± 0.25	projection	title	LOW PROFILE PCB III 6 POS MOD JACK, FULLY SHIELDED	
A	T80405	M	09/09/98		.00 ± 0.13				
B	T80510	M	11/16/98		.000 ± 0.05			product family MOD JACK code TWN	
				angles	± 2'				
				dr	CATHY LIN 07/28/98	unit		size dwg no. 74691 sheet 1 OF 1	
				enqr	TONY CHIEN 07/28/98	mm/inch			
				chr	TONY CHIEN 07/28/98	scale		A3	
				appd	JENN TSAO 07/28/98	3 : 1			
sheet	revision	B							
index	sheet	1							