


PRODUCT NO.
92192

REVISIONS				
REV	DESCRIPTION	ECN	BY	DATE
A	RELEASED	J30053	M.K	1/20/'93
B	REVISED	J40163	M.K	5/28/'94
C	REVISED	V40646	M.K	6/24/'94
D	REVISED	V40840	M.K	7/5/'94
E	REVISED	J40198	M.K	7/19/'94
F	REVISED	V32113	M.K	12/22/'94
G	REVISED	J40349	M.K	1/9/'95
H	REVISED (ADDED -05CAH) -13CA -13CAH	J70134	K.S	5/22/'97
J	REVISED (ADDED -12FA)	N90076	M.K	7/22/'99
M	REVISED (ADDED "LF")	N05-0260	M.Z	11/09/05
N	REVISED (ADD -12CAH)	N07-0026	DT	1/29/07

PRODUCT NO.	STAND	DIM "N"	PUSH ROD	HOLD DOWN	SHEET NO.
92192-XXXX	OFF(mm)	(mm)	COLOR		
00AA	0	8	BLACK	NONE	NO.2
00AAH	0	8	BLACK	YES	
00CA	0	13	BLACK	NONE	
00CAH	0	13	BLACK	YES	
00CB	0	13	BLUE	NONE	
00CBH	0	13	BLUE	YES	
00CP	0	13	PURPLE	NONE	
00CPH	0	13	PURPLE	YES	
00FA	0	21	BLACK	NONE	
00FAH	0	21	BLACK	YES	
02CA	2	13	BLACK	NONE	NO.3
02CB	2	13	BLUE	NONE	
04CA	4	13	BLACK	NONE	
05CA	5	13	BLACK	NONE	
05CAH	5	13	BLACK	YES	
10AA	0	8	BLACK	NONE	NO.4
10AAH	0	8	BLACK	YES	
10CA	0	13	BLACK	NONE	
10CAH	0	13	BLACK	YES	
10CB	0	13	BLUE	NONE	
10CBH	0	13	BLUE	YES	
10CP	0	13	PURPLE	NONE	
10CPH	0	13	PURPLE	YES	
10FA	0	21	BLACK	NONE	
10FAH	0	21	BLACK	YES	
12CA	2	13	BLACK	NONE	NO.5
12CAH	2	13	BLACK	YES	
12CB	2	13	BLUE	NONE	
12FA	2	21	BLACK	NONE	
13CA	3	13	BLACK	NONE	
13CAH	3	13	BLACK	YES	
14CA	4	13	BLACK	NONE	
15CA	5	13	BLACK	NONE	

PRODUCT NO.	STAND	DIM "N"	PUSH ROD	HOLD DOWN	SHEET NO.
92192-XXXX	OFF(mm)	(mm)	COLOR		
00AALF	0	8	BLACK	NONE	NO.2
00AAHLF	0	8	BLACK	YES	
00CALF	0	13	BLACK	NONE	
00CAHLF	0	13	BLACK	YES	
00CBLF	0	13	BLUE	NONE	
00CBHLF	0	13	BLUE	YES	
00CPLF	0	13	PURPLE	NONE	
00CPHLF	0	13	PURPLE	YES	
00FALF	0	21	BLACK	NONE	
00FAHLF	0	21	BLACK	YES	
02CALF	2	13	BLACK	NONE	NO.3
02CBLF	2	13	BLUE	NONE	
04CALF	4	13	BLACK	NONE	
05CALF	5	13	BLACK	NONE	
05CAHLF	5	13	BLACK	YES	
10AALF	0	8	BLACK	NONE	NO.4
10AAHLF	0	8	BLACK	YES	
10CALF	0	13	BLACK	NONE	
10CAHLF	0	13	BLACK	YES	
10CBLF	0	13	BLUE	NONE	
10CBHLF	0	13	BLUE	YES	
10CPLF	0	13	PURPLE	NONE	
10CPHLF	0	13	PURPLE	YES	
10FALF	0	21	BLACK	NONE	
10FAHLF	0	21	BLACK	YES	
12CALF	2	13	BLACK	NONE	NO.5
12CAHLF	2	13	BLACK	YES	
12CBLF	2	13	BLUE	NONE	
12FALF	2	21	BLACK	NONE	
13CALF	3	13	BLACK	NONE	
13CAHLF	3	13	BLACK	YES	
14CALF	4	13	BLACK	NONE	
15CALF	5	13	BLACK	NONE	



SHEET INDEX

ISSUE

SH NO.

TOLERANCES UNLESS OTHERWISE SPECIFIED

LINEAR

ANGLES

MAT

FINISH

—//—

DR

ENGR

CHK

APPD

M. Hasegawa

M. Kajiura

DATE

7/22/'99

7/22/'99

CUSTOMER COPY

THIRD ANGLE PROJ

UNIT

MM

INCH

FCI

TITLE

68P EJECTOR HEADER TYPE I / II / III MECHANISM ASSY

SCALE

SIZE

DWG. NO.

REV

SHEET

—//—



C

92192

N


1 of 5

PRODUCT NO.
92192-00AA/00AALF
92192-00AAH/00AAHLF
92192-00CA/00CALF
92192-00CAH/00CAHLF
92192-00CB/00CBLF
92192-00CBH/00CBHLF
92192-00CP/00CPLF
92192-00CPH/00CPHLF
92192-00FA/00FALF
92192-00FAH/00FAHLF




92192-00AA/00AALF
-00CA/00CALF
-00CB/00CBLF
-00CP/00CPLF
-00FA/00FALF

SECTION "Y"- "Y"(4/1)
NON HOLD-DOWN
TYP(2)



92192-00AAH/00AAHLF
-00CAH/00CAHLF
-00CBH/00CBHLF
-00CPH/00CPHLF
-00FAH/00FAHLF

SECTION "Y"- "Y"(4/1)
OPTIONAL HOLD-DOWN
TYP(2)



REVISIONS				
REV	DESCRIPTION	ECN	BY	DATE
A	RELEASED	J30053	N.T	2/17/'93
B	REVISED	J40163	M.K	5/26/'94
C	REVISED	V40646	M.K	6/24/'94
D	REVISED	V40840	M.K	7/ 5/'94
E	REVISED	J40198	M.K	7/19/'94
F	REVISED	V32113	M.K	12/21/'94
G	REVISED	J40349	M.K	1/9/'94
H	REVISED	N05-0260	M.Z	11/09/05
N				



NOTE

- EJECT PLATE MOVE ALONG INSIDE WALL OF COVER PLATE SMOOTHLY AFTER ASSEMBLING WITH HDR ASSY.
- MATERIAL
 - GUIDE : POLYPHTHARAMID UL94V-0 BLACK
 - PUSH ROD : FLAME RETARDANT UL94V-0 BLACK/BLUE
 - PLATE : STAINLESS
 - EMI CONTACT : PHOSPHOR BRONZE
 - HOLD-DOWN : BRASS
- FINISH
 - EMI CONTACT UNDER PLATING : 2.0 μ m MIN. Ni
 - CONTACT AREA : 0.5 μ m MIN. Au

4. RECOMMENDED PCB HOLE (OPTIONAL HOLD-DOWN) : 2.3 $\pm$ 0.1

SHEET INDEX	ISSUE	SH NO.	TOLERANCES UNLESS OTHERWISE SPECIFIED	MAT	SEE NOTE ②	DR	J. Omata	DATE	12/21/'94	CUSTOMER COPY	TITLE	68P EJECTOR HEADER TYPE 1 / Ⅱ / Ⅲ	MECHANISM ASSY	SCALE	SIZE	DWG. NO.	92192	REV	N	SHEET	2 of 2
LINEAR				FINISH	SEE NOTE ③	CHK	M. Kajiura			THIRD ANGLE PROJ				2/1	C						
ANGLES				APPD		UNIT	MM														

PRODUCT NO.
92192-10AA/10AALF
92192-10AAH/10AAHLF
92192-10CA/10CALF
92192-10CAH/10CAHLF
92192-10CB/10CBLF
92192-10CBH/10CBHLF
92192-10CP/10CPLF
92192-10CPH/10CPHLF
92192-10FA/10FALF
92192-10FAH/10FAHLF



REVISIONS				
REV	DESCRIPTION	ECN	BY	DATE
A	RELEASED	J30053	N.T	2/17/'93
B	REVISED	J40163	M.N	5/26/'94
C	REVISED	V40646	M.K	6/24/'94
D	REVISED	V40840	M.K	7/ 5/'94
E	REVISED	J40198	M.K	7/19/'94
F	REVISED	V32113	M.K	12/21/'94
G	REVISED	J40349	M.K	1/9/'95
H	REVISED	N05-0260	M.Z	11/09/05
N				

NOTE

1. EJECT PLATE MOVE ALONG INSIDE WALL OF COVER PLATE SMOOTHLY AFTER ASSEMBLING WITH HDR ASSY.

② MATERIAL

GUIDE : POLYPHTHARAMID UL94V-0 BLACK
 PUSH ROD : FLAME RETARDANT UL94V-0 BLACK/BLUE
 PLATE : STAINLESS
 EMI CONTACT : PHOSPHOR BRONZE
 HOLD-DOWN : BRASS

③ FINISH

EMI CONTACT
 UNDER PLATING : 2.0 μ m MIN. Ni
 CONTACT AREA : 0.5 μ m MIN. Au

4. RECOMMENDED PCB HOLE (OPTIONAL HOLD-DOWN) : 2.3 $\pm$ 0.1

SHEET INDEX	ISSUE	SH NO.	TOLERANCES UNLESS OTHERWISE SPECIFIED	MAT	DR	ENGR	CHK	APPD	DATE	CUSTOMER COPY	THIRD ANGLE PROJ	UNIT	SCALE	SIZE	DWG. NO.	REV	SHEET
				SEE NOTE ②	J. Omaki	M. Kojima			12/21/'94			MM	2/1	C	92192	N	4 of 4
LINEAR				FINISH													
ANGLES				SEE NOTE ③													




TITLE 68P EJECTOR HEADER TYPE I / II / III
 MECHANISM ASSY

PDM: Rev:N


STATUS Released

Printed: Oct 12, 2010

PRODUCT NO.
92192-12CAH/12CAHLF
92192-12CB/12CBLF
92192-12FA/12FALF
92192-13CA/13CALF
92192-13CAH/12CAHLF
92192-14CA/14CALF
92192-15CA/15CALF



REVISIONS				
REV	DESCRIPTION	ECN	BY	DATE
A	RELEASED	J30053	N.T	2/17/'93
B	REVISED	J40163	M.K	5/26/'94
C	REVISED	V40840	M.K	7/ 5/'94
D	REVISED	J40198	M.K	7/19/'94
E	REVISED	V32113	M.K	12/20/'94
F	REVISED	J40349	M.K	1/9/'95
G	REVISED (ADDED-13CA -13CAH)	J70134	K.S	8/8/'97
H	REVISED (ADDED-12FA)	N90076	M.K	7/22/'99
J	REVISED (ADDED "LF")	N05-0260	MZ	11/09/05
N				



NOTE

1. EJECT PLATE MOVE ALONG INSIDE WALL OF COVER PLATE SMOOTHLY AFTER ASSEMBLING WITH HDR ASSY.

② MATERIAL

GUIDE : POLYPHTHAMID UL94V-0 BLACK
 PUSH ROD : FLAME RETARDANT UL94V-0 BLACK
 PLATE : STAINLESS
 EMI CONTACT : PHOSPHOR BRONZE
 STAND OFF : ZINC ALLOYS DIE CASTING

③ FINISH

EMI CONTACT
 UNDER PLATING : 2.0μm MIN. Ni
 CONTACT AREA : 0.5μm MIN. Au
 STAND OFF : 3~5μm Ni OVER 5~10μm Cu.

DF-003A REV D

DO NOT SCALE. PRINT THIS INFORMATION IS CONFIDENTIAL AND IS DISCLOSED TO YOU ON CONDITION THAT NO FURTHER DISCLOSURE IS MADE BY YOU TO OTHER THAN FCI PERSONNEL WITHOUT WRITTEN AUTHORIZATION FROM FCI JAPAN K.K.

SHEET INDEX		ISSUE												FCI	
		SH NO.													
				TOLERANCES UNLESS OTHERWISE SPECIFIED		MAT	SEE NOTE ②	DR	M. Hasegawa	DATE	7/22/'99	CUSTOMER	COPY	TITLE	
						5ft ②#11		ENGR	M. Kajiura	7/22/'99		THIRD ANGLE PROJ		68P EJECTOR HEADER TYPE I / II / III	
LINEAR						FINISH	SEE NOTE ③	CHK				SCALE	SIZE	DWG. NO.	
						5ft ③#11		APPD				2/1	C	92192	
ANGLES												UNIT	MM	REV SHEET	
														N 5 OF	

PDM: Rev:N

STATUS Released

Printed: Oct 12, 2010