


New Products

BATTERY CONNECTOR FOR COMPUTERS



DZH-A051-AA12N

P- DZH-E01



■ **APPLICATIONS** Hand-held computers and peripheral devices.

■ **FEATURES**

- Space saving low-profile design.
- Heat-resistant insulator material.
- Self-wiping contact design.
- Gold over Nickel plated contacts for high reliability.



SALES OFFICES

•DDK Ltd. (JAPAN)	Tel. 0285-84-7861	Fax. 0285-82-9036
•DDK HONG KONG LTD	Tel. 2369-7028	Fax. 2369-7392
•DDK ELECTRONICS SINGAPORE PTE LTD	Tel. 271-1151	Fax. 271-2345
•DDK ELECTRONICS, INC. (U.S.A.)		
SANTA CLARA, CALIFORNIA	Tel. 408-980-8344	Fax. 408-980-9750
TORONTO LIAISON, CANADA	Tel. 905-470-1346	Fax. 905-470-1479
•DDK ELECTRONICS(EUROPE),LTD.(UK)	Tel. 01959-5-61224	Fax. 01959-5-61034
•DDK (THAILAND) LTD.	Tel. 02-529-1428	Fax. 02-529-1427


■ SPECIFICATIONS

- Rated voltage 30V DC.
- Rated current 3A/contact
- Dielectric withstanding
voltage 650V AC(r.m.s), 1minute.
- Insulation resistance 500 megohms min. at 500V DC.
- Contact resistance 30 milliohms max.

■ MATERIALS / FINISHES





- Contact Copper alloy / Gold plating over Nickel plating
- Insulator Polyamide / (UL94V-0)color black

■ PART NUMBERING CODE



DIMENSIONS

UNIT:mm(inch)



UNIT:mm(inch)

