




PRODUCT NO
SEE TABLE

REV	DESCRIPTION	REV'D BY	DATE
B	ECR S0226	SETAY	14SEP.88
C	ECR V70876	H.T.B	29MAY97
D	ECR V71443	H.T.B	29OCT.97
E	ECR V80984	H.T.B	30JUN.98




NOTE ②








NOTE ①

DETAIL P
BOTH ENDS



CUSTOMER COPY


GEN. TOLERANCES		DO NOT SCALE DWG.		<div>BERG</div> <div>ELECTRONICS</div>	
XX/XXX = ±0.25/010 XXX/XXXX = ±0.13/005 XXXX/XXXXX = ±0.05/002		MM 			
		 			
				DESCRIPTION	
				BERGSTIK® II HEADER	
				THIN BODY 2.00/.079	
		NAME	DATE		
DRAWN	JANET		30 JUN. 98		
CHECKED			30/6/98	PRODUCT NO.	86707
APPROVED			1/7/98	SCALE	SHT 1 OF 2

PRODUCT NO	PLATING
86707-1YY	0.76um/30u" MIN Au OVER 1.27um/50u" MIN Ni
86707-2YY	0.38um/15u" MIN Au OVER 1.27um/50u" MIN Ni
86707-3YY	1.27um/50u" MIN Au OVER 1.27um/50u" MIN Ni
86707-4YY	3.05um/120u" MIN 93/7 Sn/Pb OVER 1.27um/50u" MIN Ni
86707-5YY	0.38um/15u" MIN GXT™ OVER 1.27um/50u" MIN Ni
86707-6YY	0.76um/15u" MIN GXT™ OVER 1.27um/50u" MIN Ni

REV
B
C
D
E

PART NUMBER INFORMATION

86707 - YY
 BASE P/N — NO OF POSITIONS - SEE NOTE 6
 — TERMINAL PLATING



NOTES

- 1 MEASURED WITH PART IN RESTAINED CONDITION.
- 2 0.5 KG/1 LB MIN PIN RETENTION IN EITHER DIRECTION.
- 3 TWO SIDES OF PIN TIPS NOT PLATED. TYPICAL BOTH ENDS.
- 4 BODY MAT'L : GLASS FILLED NYLON RATED PER UL 94V-0
PIN MAT'L : PHOSPHOR BRONZE
- 5 FINISHED PRODUCTS PACKAGED IN POLYBAGS.
- 6 EVEN NUMBER OF POSITIONS FROM 4(2X2) THRU 72 (2X36)

CUSTOMER COPY

GEN. TOLERANCES X.X/X.XX - ±0.25/.010 X.XX/X.XXX - ±0.13/.005 X.XXX/X.XXXX - ±0.05/.002		DO NOT SCALE DWG. MM		BERG ELECTRONICS
NAME JANET		DATE 30 JUN 98		
DRAWN		CHECKED <i>js</i>		DESCRIPTION BERGSTIK® II HEADER THIN BODY 2.00/.079
APPROVED <i>js</i>		DATE 1/7/98		PRODUCT NO. 86707 SCALE SHT 2 OF 2