


IC 201 SERIES QFP



FEATURES

- Open top type sockets for QFP packages.
- Lever operation ensures low actuation force and high durability.
- Unique contact design ensures outstanding contact reliability.

SPECIFICATIONS

PERFORMANCE

Contact our Sales Department for detail. Specifications differ by the contact pitch and other requirements.

MATERIAL AND FINISH

Housing	PEI (glass-filled)
Contacts	Copper alloy, gold plating over nickel

ORDERING CODE

IC201—0644—040

IC201 series	Number of leads	Design number (for internal use only)
--------------	-----------------	---------------------------------------


* Options for the sockets in the IC201 series include positioning pins, protection keys, flanges, etc. Contact our Sales Department for detail.

●Applicable IC Dimensions (Reference Only)


Part No.	No. of Leads	Pitch	A	B	C	D	E	F
IC201—0644—003	64	0.50	12.00	12.00	10.00	10.00	0.15	0.70MIN.
IC201—0644—040	64	0.50	12.00	12.00	10.00	10.00		0.662MIN.
IC201—0644—019	64	1.00	23.90	17.90	20.00	14.00	0.15	1.22MIN.
IC201—0804—020	80	0.50	13.60	13.60	12.00	12.00	0.17	0.50MIN.
IC201—0804—012	80	0.65	17.20	17.20	14.00	14.00	0.15	0.918MIN.
IC201—0804—014	80	0.50	14.00	14.00	12.00	12.00	0.127	0.611MIN.
IC201—0804—005	80	0.80	23.90	17.90	20.00	14.00	0.15	1.22MIN.
IC201—0804—032	80	0.80	23.20	17.20	20.00	14.00	0.15	—
IC201—1004—043	100	0.50	16.00	16.00	14.00	14.00	0.125	0.45MIN.
IC201—1004—008	100	0.50	16.00	16.00	14.00	14.00	0.127	0.66MIN.
IC201—1004—028	100	0.65	23.20	17.20	20.00	14.00	0.15	1.20MIN.
IC201—1004—016	100	0.65	23.90	17.90	20.00	14.00	0.15	1.275MIN.
IC201—1004—050	100	0.65	22.00	16.00	20.00	14.00	0.15	0.525MIN.
IC201—1204—017	120	0.50	18.40	18.40	16.00	16.00	0.15	1.025MIN.
IC201—1444—026	144	0.50	22.00	22.00	20.00	20.00	0.18	0.61
IC201—1444—034	144	0.50	22.00	22.00	20.00	20.00	0.15	0.65
IC201—1604—006	160	0.65	31.20	31.20	28.00	28.00	0.15	1.65MIN.
IC201—2084—001	208	0.50	30.00	30.00	27.95	27.95	0.15	1.45/1.54
IC201—2084—029	208	0.50	30.60	30.60	28.00	28.00	0.17	1.67MIN.
IC201—2564—002	256	0.50	42.60	30.60	40.00	28.00	0.15	1.50MIN.
IC201—3044—004	304	0.50	42.60	42.60	40.00	40.00	0.15	1.50MIN.

Unit = mm


●Applicable IC Dimensions




●IC201—0644—003




●Recommended PC Board Patterns (TOP VIEW)





●IC201—0644—040





●Recommended PC Board Patterns (TOP VIEW)




●Recommended PC Board Patterns (TOP VIEW)




●Recommended PC Board Patterns (TOP VIEW)




●IC201—0804—012




●Recommended PC Board Patterns (TOP VIEW)




●IC201—0804—014




●Recommended PC Board Patterns (TOP VIEW)




●IC201—0804—005




●Recommended PC Board Patterns (TOP VIEW)




●IC201—0804—032




●Recommended PC Board Patterns (TOP VIEW)




●IC201—1004—043




●Recommended PC Board Patterns (TOP VIEW)




●IC201—1004—008




●Recommended PC Board Patterns (TOP VIEW)




●IC201—1004—028




●Recommended PC Board Patterns (TOP VIEW)




●IC201—1004—016




●Recommended PC Board Patterns (TOP VIEW)




●IC201—1004—050




●Recommended PC Board Patterns (TOP VIEW)




●IC201—1204—017




●Recommended PC Board Patterns (TOP VIEW)




●IC201—1444—026




●Recommended PC Board Patterns (TOP VIEW)




●IC201—1444—034




●Recommended PC Board Patterns (TOP VIEW)




●IC201—1604—006




●Recommended PC Board Patterns (TOP VIEW)




●IC201—2084—001




●Recommended PC Board Patterns (TOP VIEW)




●IC201—2084—029




●Recommended PC Board Patterns (TOP VIEW)




●IC201—2564—002



●Recommended PC Board Patterns (TOP VIEW)



●IC201—3044—004



●Recommended PC Board Patterns (TOP VIEW)

