



Features


- ◇ For IF SAW filter
- ◇ Single-ended operation
- ◇ Ceramic Surface Mount Package
- ◇ Small size
- ◇ RoHS compliant (2002/95/EC), Pb-free

Specifications


Parameter	Unit	Minimum	Typical	Maximum
Center Frequency	MHz	69.75	70	70.25
Insertion Loss	dB	-	14.2	15
1 dB Bandwidth	MHz	10.6	11	-
3 dB Bandwidth	MHz	-	11.64	-
35 dB Bandwidth	MHz	-	14.4	14.6
40 dB Bandwidth	MHz	-	14.96	-
Passband Variation	dB	-	0.6	1
Absolute Delay	usec	-	1.43	-
Ultimate Rejection	dB	40	42	-
Material Temperature coefficient	KHz/°C	-6.58		
Substrate Material	-	YZ LN		
Ambient Temperature	°C	25		
DC Voltage	V	0		
Input Power	dBm	-	-	10
ESD Class	-	1A		
Package Size	SMD13.3*6.5			

Notes:

1. All specifications are based on the test circuit shown;
2. In production, all specifications are measured by Agilent Network analyzer and full 2 port calibration at room temperature;
3. Electrical margin has been built into the design to account for the variations due to temperature drift and manufacturing tolerances;
4. This is the optimum impedance in order to achieve the performance show.

	SIPAT Co., Ltd. (CETC No.26 Research Institute) #14 Nanping Huayuan Road, Chongqing, China, 400060	Part Number	LB070DS29	
		Rev. Date	2011-04-13	
		Ver.	1.0	Page 1/3


Matching Configuration



L1=L2=120nH
C1=C2=36pF
Source/Load Impedance=50 ohm

Notes - Component values may change depending on board layout.

Package Dimension



Pad Configuration:

Input: 11

Output: 5

Ground: 1,2,3,4,6,7,8,9,10,12

Marking Configuration:

- 1) •: Pad Number 1 Index
- 2) SIPAT: Manufacturer Name
- 3) LB070DS29: Part Number
- 4) XXYY: Date(Year/month)
- 5) ZZ: Identified Code

Package: SMD13.3*6.5


Unit: mm



SIPAT Co., Ltd.
(CETC No.26 Research Institute)
#14 Nanping Huayuan Road,
Chongqing, China, 400060

Part Number	LB070DS29	
Rev. Date	2011-04-13	
Ver.	1.0	Page 2/3

Typical Performance



SIPAT Co., Ltd.
(CETC No.26 Research Institute)
#14 Nanping Huayuan Road,
Chongqing, China, 400060

Part Number	LB070DS29	
Rev. Date	2011-04-13	
Ver.	1.0	Page 3/3