




M/scale1:1



Kabelzuschnitt
Stripping dimension
Semi-Rigid



M/scale2:1



Für Kabel /
For cable

Anschluss /
connecting area

Gr.	Typ / type	ØD1	ØD2	ØD3	ØD4	ØD5	ØD6	a	b
6	RG405/U	2,20	1,68	0,51	1,72	2,25	3,10	1,80	2,50
7	RG402/U	3,58	3,00	0,91	3,02	3,65	4,50	2,10	2,00

				general tolerance ISO 2768 mH		scale: 5:1		
				date name 07.04.05 Schwaer		Assembly instruction: M186 Stripping dimension:		
EC_268_05	c	New push ferrule	07.11.05	RSc		Kabelwinkelstecker Cable mount angle plug		
Design	b	One part housing	31.05.05	RSc	generate			
Design	a	Change acc. sim.	14.05.05	RSc	checked			
					Norm			
					45306			
							3902.QLS.1420.0''	
nr.	rev.	alteration	date	name			Rev. c	



IMS CONNECTOR SYSTEMS
Your global connection



Page content

Markets Products Company

Online catalog

Back to product finder

For further information, please [click here](#)

Products

RF-Cable assembly creator

RF-Coaxial connectors

General informations

Family specifications

Online catalog

Assembly instructions

Components for mobile devices

Previous

QLS® - Cable mount angle plug (m) 50 ohm

Next



Part Number 3902.QLS.1420.061


Cable type RG 405 /U
UT 85

Plating 1 = Au
3 = NiP + Au
5 = Whitebronze

Feature Strip dimensions
available on request

Assembly instruction [M-186](#)

Drawing [Download PDF](#)



Qty. Shipping date

Add to quote request form

[RF product finder](#)
[Sales contact](#)



SnapN RF coaxial connector



RoHS compliance at IMS Connector System

Product style (1 found)

Ohm Part Number

QLS®

[Cable mount angle plug](#)

50

[3902.QLS.1420.061](#)

● available ex stock

[Search](#) | [Imprint](#) | [Legal & Privacy](#) | [Site i](#)



IMS CONNECTOR SYSTEMS
Your global connection



Page content

Markets Products Company

Online catalog

Back to product finder

For further information, please [click here](#)

Products

RF-Cable assembly creator

RF-Coaxial connectors

General informations

Family specifications

Online catalog


Assembly instructions

Components for mobile devices

Previous

QLS® - Cable mount angle plug (m) 50 ohm

Next



Part Number 3902.QLS.1420.065

Cable type RG 405 /U
UT 85

Plating 1 = Au
3 = NiP + Au
5 = Whitebronze

Feature Strip dimensions
available on request

Assembly instruction [M-186](#)

Drawing [Download PDF](#)

[RF product finder](#)
[Sales contact](#)



Qty.

1

Shipping date

Add to quote request form

Product style (1 found)

Ohm Part Number

QLS®

[Cable mount angle plug](#)

50

[3902.QLS.1420.065](#)

● available ex stock

[Search](#) | [Imprint](#) | [Legal & Privacy](#) | [Site i](#)



IMS CONNECTOR SYSTEMS
Your global connection



Page content

Markets Products Company

Online catalog

Back to product finder

For further information, please [click here](#)


Products

- RF-Cable assembly creator
- RF-Coaxial connectors**
 - General informations
 - Family specifications
 - Online catalog**
 - Assembly instructions
 - Components for mobile devices

Previous

QLS® - Cable mount angle plug (m) 50 ohm

Next



Part Number 3902.QLS.1420.071

Cable type RG 402 /U
UT 141

Plating 1 = Au
3 = NiP + Au
5 = Whitebronze

Feature Strip dimensions
available on request

Assembly instruction [M-186](#)

Drawing [Download PDF](#)

- [RF product finder](#)
- [Sales contact](#)



SnapN RF coaxial connector



RoHS compliance at IMS Connector System

Qty.

1

Shipping date

Add to quote request form

Product style (1 found)

Ohm Part Number

QLS®

[Cable mount angle plug](#)

50

[3902.QLS.1420.071](#)

● available ex stock

[Search](#) | [Imprint](#) | [Legal & Privacy](#) | [Site i](#)



IMS CONNECTOR SYSTEMS
Your global connection



Page content

Markets Products Company

Online catalog

Back to product finder

For further information, please [click here](#)

Products

RF-Cable assembly creator

RF-Coaxial connectors

General informations

Family specifications

Online catalog

Assembly instructions

Components for mobile devices

Previous

QLS® - Cable mount angle plug (m) 50 ohm

Next



Part Number 3902.QLS.1420.075


Cable type RG 402 /U
UT 141

Plating 1 = Au
3 = NiP + Au
5 = Whitebronze

Feature Strip dimensions
available on request

Assembly instruction [M-186](#)

Drawing [Download PDF](#)



Qty.

1

Shipping date

Add to quote request form

[RF product finder](#)
[Sales contact](#)



SnapN RF coaxial connector



RoHS compliance at IMS Connector Systems

Product style (1 found)

Ohm Part Number

QLS®

[Cable mount angle plug](#)

50

[3902.QLS.1420.075](#)

● available ex stock

[Search](#) | [Imprint](#) | [Legal & Privacy](#) | [Site i](#)