

### Flange Mount Types - High Performance


DC - 18 GHz Flange Mount 523 Series		Model Numbers
Male/Female	Female/Female	Male/Male
ATT-0523-XX-SMA-02	ATT-523F-XX-SMA-02	ATT-523M-XX-SMA-02
<b>XX = Attenuation Value: Select 01-30dB in 1dB increments</b> (.5 dB increments available) <b>HIGH PERFORMANCE</b>		

DC - 12.4 GHz Flange Mount 524 Series		Model Numbers
Male/Female	Female/Female	Male/Male
ATT-0524-XX-SMA-02	ATT-524F-XX-SMA-02	ATT-524M-XX-SMA-02
<b>XX = Attenuation Value: Select 01-30dB in 1dB increments</b> (.5 dB increments available) <b>HIGH PERFORMANCE</b>		

DC - 8.0 GHz Flange Mount 531 Series		Model Numbers
Male/Female	Female/Female	Male/Male
ATT-0531-XX-SMA-02	ATT-531F-XX-SMA-02	ATT-531M-XX-SMA-02
<b>XX = Attenuation Value: Select 01-30dB in 1dB increments</b> (.5 dB increments available) <b>HIGH PERFORMANCE</b>		

DC - 4.0 GHz Flange Mount 525 Series		Model Numbers
Male/Female	Female/Female	Male/Male
ATT-0525-XX-SMA-02	ATT-525F-XX-SMA-02	ATT-525M-XX-SMA-02
<b>XX = Attenuation Value: Select 01-30dB in 1dB increments</b> (.5 dB increments available) <b>HIGH PERFORMANCE</b>		

DC - 2.0 GHz Flange Mount 526 Series		Model Numbers
Male/Female	Female/Female	Male/Male
ATT-0526-XX-SMA-02	ATT-526F-XX-SMA-02	ATT-526M-XX-SMA-02
<b>XX = Attenuation Value: Select 01-30dB in 1dB increments</b> (.5 dB increments available) <b>HIGH PERFORMANCE</b>		



### SPECIFICATIONS - HIGH PERFORMANCE




**Attenuation Accuracy:** 1-6 dB  $\pm 0.3$  dB  
 7-20 dB  $\pm 0.5$  dB  
 21-30 dB  $\pm 1.0$  dB

**VSWR:** 1.07+0.015(f GHz) max

**Power:** 2 Watts Average @ +25 °C derated linearly to .5 watts @ +125 °C and 200 Watts peak

**Operating Temperature Range:** -65 to +125 °C

**Finish:** Passivated Stainless Steel



Note: \* U.S. Patent No. 3,824,506 applies to all " Fixed Attenuators.



- [Shopping Cart](#)
- [Order Status](#)
- [Help Desk](#)
- [About Midwest](#)
- [Contact Midwest](#)
- [Authorized Distributors & Sales Representatives](#)
- [Distributors Only](#)

[Customer Login](#) United States

Try our New Search! [Go](#)

[< Return to Product Categories](#)

SKU	Product	Frequency	Power	Body	Interface	Gender	dB	
Flange Mount Subminiature MINIPAD SMA Fixed Attenuators								
ATT-523M-01-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	1	<a href="#">More Details</a>
ATT-523M-02-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	2	<a href="#">More Details</a>
ATT-523M-03-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	3	<a href="#">More Details</a>
ATT-523M-04-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	4	<a href="#">More Details</a>
ATT-523M-05-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	5	<a href="#">More Details</a>
ATT-523M-06-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	6	<a href="#">More Details</a>
ATT-523M-07-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	7	<a href="#">More Details</a>
ATT-523M-08-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	8	<a href="#">More Details</a>
ATT-523M-09-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	9	<a href="#">More Details</a>
ATT-523M-10-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	10	<a href="#">More Details</a>
ATT-523M-11-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	11	<a href="#">More Details</a>
ATT-523M-12-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	12	<a href="#">More Details</a>
ATT-523M-13-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	13	<a href="#">More Details</a>
ATT-523M-14-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	14	<a href="#">More Details</a>
ATT-523M-15-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	15	<a href="#">More Details</a>

We also have

Attenuator  
[BUY NOW](#) Our Price: **\$222.00**



**ATT-0640-06-29M-02**  
 6 dB DC-40 Ghz Attenuator  
 Subminiature Minipad  
 2.9mm/2.9mm 1 watt  
 Passivated

[Click for More Info](#)

Connector  
[BUY NOW](#) Our Price: **\$29.00**



**SMA-5874-15-DRP-02**  
 Female SMA Passivated  
 Connector Receptacle  
 Hermetic Drop-In EMI/RFI  
 Gasket Drop-In Contact

[Click for More Info](#)

ATT-523M-16-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	16	<a href="#">More Details</a>
ATT-523M-17-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	17	<a href="#">More Details</a>
ATT-523M-18-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	18	<a href="#">More Details</a>
ATT-523M-19-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	19	<a href="#">More Details</a>
ATT-523M-20-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	20	<a href="#">More Details</a>
ATT-523M-21-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	21	<a href="#">More Details</a>
ATT-523M-22-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	22	<a href="#">More Details</a>
ATT-523M-23-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	23	<a href="#">More Details</a>
ATT-523M-24-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	24	<a href="#">More Details</a>
ATT-523M-25-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	25	<a href="#">More Details</a>
ATT-523M-26-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	26	<a href="#">More Details</a>
ATT-523M-27-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	27	<a href="#">More Details</a>
ATT-523M-28-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	28	<a href="#">More Details</a>
ATT-523M-29-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	29	<a href="#">More Details</a>
ATT-523M-30-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	30	<a href="#">More Details</a>
ATT-523M-70-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	0.5	<a href="#">More Details</a>
ATT-523M-71-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	1.5	<a href="#">More Details</a>
ATT-523M-72-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	2.5	<a href="#">More Details</a>
ATT-523M-73-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	3.5	<a href="#">More Details</a>
ATT-523M-74-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	4.5	<a href="#">More Details</a>

ATT-523M-75-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	5.5	<a href="#">More Details</a>
ATT-523M-76-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	6.5	<a href="#">More Details</a>
ATT-523M-77-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	7.5	<a href="#">More Details</a>
ATT-523M-78-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	8.5	<a href="#">More Details</a>
ATT-523M-79-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	9.5	<a href="#">More Details</a>
ATT-523M-80-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	10.5	<a href="#">More Details</a>
ATT-523M-81-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	11.5	<a href="#">More Details</a>
ATT-523M-82-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	12.5	<a href="#">More Details</a>
ATT-523M-83-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	13.5	<a href="#">More Details</a>
ATT-523M-84-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	14.5	<a href="#">More Details</a>
ATT-523M-85-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	15.5	<a href="#">More Details</a>
ATT-523M-86-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	16.5	<a href="#">More Details</a>
ATT-523M-87-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	17.5	<a href="#">More Details</a>
ATT-523M-88-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	18.5	<a href="#">More Details</a>
ATT-523M-89-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	19.5	<a href="#">More Details</a>

[Matches 1-50 of 60 found.](#)  
[1](#) [2](#) [Next](#)

---

All rights reserved. ©2002 Midwest Microwave



- [Shopping Cart](#)
- [Order Status](#)
- [Help Desk](#)
- [About Midwest](#)
- [Contact Midwest](#)
- [Authorized Distributors & Sales Representatives](#)
- [Distributors Only](#)

[Customer Login](#) United States

Try our New Search! [Go](#)

[< Return to Product Categories](#)

SKU	Product	Frequency	Power	Body	Interface	Gender	dB	
Flange Mount Subminiature MINIPAD SMA Fixed Attenuators								
ATT-523M-90-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	20.5	<a href="#">More Details</a>
ATT-523M-91-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	21.5	<a href="#">More Details</a>
ATT-523M-92-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	22.5	<a href="#">More Details</a>
ATT-523M-93-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	23.5	<a href="#">More Details</a>
ATT-523M-94-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	24.5	<a href="#">More Details</a>
ATT-523M-95-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	25.5	<a href="#">More Details</a>
ATT-523M-96-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	26.5	<a href="#">More Details</a>
ATT-523M-97-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	27.5	<a href="#">More Details</a>
ATT-523M-98-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	28.5	<a href="#">More Details</a>
ATT-523M-99-SMA-02	Attenuator	18	2	FLG	SMA/SMA	M/M	29.5	<a href="#">More Details</a>

Matches 51-60 of 60 found.  
[Previous](#) [1](#) [2](#)

We also have

Attenuator  
[BUY NOW](#) Our Price: **\$222.00**



**ATT-0640-06-29M-02**  
 6 dB DC-40 Ghz Attenuator  
 Subminiature Minipad  
 2.9mm/2.9mm 1 watt  
 Passivated

[Click for More Info](#)

Connector  
[BUY NOW](#) Our Price: **\$11.40**



**SMA-0188-55-000-00**  
 Male SMA Gold Connector  
 Flexible Solder Contact  
 RG174,RG179,RG188,RG316  
 cable

[Click for More Info](#)

All rights reserved. ©2002 Midwest Microwave