

Customer : ROXBURGH ELECTRONICS LIMITED

No. SSV96-0311

Attention:

Date : Jan. 30, 1996

Your ref. No:

Your Part. No: 226072

SPECIFICATIONS

ALPS :

MODEL RS6011Y50K

F.E.C. No: **698-052**

Sample No. : 60447764M

RECEIPT STATUS

RECEIVED

By. Date

Signature

Name

Title

ALPS ELECTRIC CO., LTD.

HEAD OFFICE
1-7, YUKIGAYA-OHTSUKA-CHO,
OHTA-KU, TOKYO 145 JAPAN

DSG'D Y. Saitoh
APP'D M. Umemori
ENG. DEPT. DIVISION
Sales

SPECIFICATIONS

NO. SSY96-0311

1. THIS SPECIFICATIONS APPLY TO RS6011Y14 POTENTIOMETERS.

2. CONTENTS OF THIS SPECIFICATIONS.

456028N-302M 450008-45M
450001-200, 450001-201
S6028N404A

MARKING ON ALL UNITS

DATE CODE, RESIST. VALUE, TAB#, TRADE MARK

3. MARKING

Marking ← In Specifications shows standard and condition for application

CLASS NO.	TITLE STANDARD TYPE POTENTIOMETER (SLIDE)	
ELECTRICAL		

1. Overall resistance :

Overall resistance tolerances : $\pm 20\%$ Unit : K Ω

5	10	20	50	100	200	250	500	1,000
---	----	----	----	-----	-----	-----	-----	-------

2. Minimum resistance :

Unit : Ω

Overall resistance (K Ω)	5,10	20,50	100	200, 250	500	1,000
Across term.1-2	30	50	100	200	300	500
Across term.2-3	50	70	120	220	320	500

3. Taper : ALPS "B" (SBS50)

4. Rated power : 0.2 Watts.

5. Rated voltage : $\text{Rated voltage} = \sqrt{P \cdot R}$ (V)

P : rated power (W)

R : nominal overall resistance (Ω)

When the rated voltage exceeds the maximum operating voltage the maximum operating voltage shall be the rated voltage.

Maximum operating voltage : A.C. 200v . D.C. 10 v

6. Dielectric test : Units shall be designed to withstand 300 volts A.C. 50 Hz R.M.S. between resistance elements and case for a period of one minute without damage or arcing.

7. Insulation resistance : Greater than 100 megohms between resistance elements and case when tested by a 250 volts D.C. insulation resistance meter.

8. Sliding lifetest : 15,000 cycles


Lever shall be operable with speed of 20 mm per sec. without noise by static electricity.

..	ALPS ELECTRIC CO., LTD.
..	..	APPD.	CHKD.	DSGD.
..	..	Aug. 9/91		May 16/91
..	..			TITLE SPECIFICATIONS
S/N#	DATE	APPD.	CHKD.	DSGD.
SYN#	DATE	APPD.	CHKD.	DSGD.
				DOCUMENT NO. 4S6028N-302M

(5-1M2)

USED ON 60 mm TRAVEL TYPE TONE	NAME RESISTANCE TAPER
ALPS ELECTRIC CO., LTD. 1-7 YUKIGAYA OTSUKA-CHO OTA-KU TOKYO JAPAN	TITLE SPECIFICATIONS

TAPERED CURVE: ALPS "B"



TERM.1

PERCENT TRAVEL %

TERM.3

NOTES: PERCENT VOLTAGE
CHECK POINT

50% TRAVEL FROM TERM.1

TOLERANCE

40 - 60 %

APFD.	CHKD.	DSGD.	NAME RESISTANCE TAPER
Aug. 27/91		Apr. 27/91	DIG. NO. SBS50

(1) (2)

CLASS.NO.	TITLE	STANDARD TYPE POTENTIOMETER (SLIDE)	

MECHANICAL

1. Travel : Specified in particular Figure.
2. Operating force : 30 - 250 gf (Note 1)
3. Starting force : Operating force + 100 gf max. (Note 1)

(Note 1) Measuring temperature : 5°C - 35°C

Measuring point :

- : 5 mm from lever end (Lever length > 6 mm)
- : 1 mm from lever end (Lever length ≤ 6 mm)

Sliding speed : 20 mm per sec.

4. Stop strength :


- 5 kgf at a position 5 mm from mounting surface.
(Lever length > 6 mm)
- 5 kgf at a position 2 mm from mounting surface.
(Lever length ≤ 6 mm)

5. Lever lateral play :

When an alternating bending moment of 250 gf·cm is applied perpendicular to the direction of lever travel, the bothside movement of the lever shall be less than $2 (2 \times L / 20)$ mm
L: Lever length on the measurement point from mtg. surface.

(Note 2) Exempt warping of insulated lever.

Lever lateral play



$L \leq 5 \text{ mm}$
The bothside movement of the lever shall be less than 1.2 mm



6. Lever strength :

- (1) To be resistant with 5 kgf static force of pull or push applied to lever in thrust direction for 10 seconds without damage.

CLASS.NO.	TITLE	STANDARD TYPE POTENTIOMETER (SLIDE)	

(2) To be resistant with following static force applied to lever in vertical direction to lever driving for 10 seconds without damage.

- ① 2 kgf·cm over : in case of pot., mounted to chassis with screws.
- ② 0.5 kgf·cm over : in case of pot., mounted to P.C.B. only with terminals.
- ③ 2 kgf·cm over : in case of pot., mounted to P.C.B. with both terminals and mounting plate.




7. Lever inclination and twist :


Twist



Inclination



Inclination



8. Resistance to soldering heat : 3 sec. max. at 300°C

..	ALPS	ALPS ELECTRIC CO., LTD.
..	APPD.	CHKD.
..	Sep. 91	DSCD.
..	Sep. 91	TITLE

SPECIFICATIONS

DOCUMENT NO. 4S0008-45M (1/2)

DATE APPD. CHKD. DSCD. TITLE

Sp. 91 APPD. CHKD. DSCD. TITLE

Sp. 91 APPD. CHKD. DSCD. TITLE

..	ALPS	ALPS ELECTRIC CO., LTD.
..	APPD.	CHKD.
..	Sep. 91	DSCD.
..	Sep. 91	TITLE

SPECIFICATIONS

DOCUMENT NO. 4S0008-45M (2/2)

DATE APPD. CHKD. DSCD. TITLE

Sp. 91 APPD. CHKD. DSCD. TITLE

Sp. 91 APPD. CHKD. DSCD. TITLE

ご使用上の注意

PRECAUTION IN USE

1. 偏心ツマミをご使用になる場合

レバーの中心より離れたところを作用点としてご使用になる場合、可能な限り下図A寸法を短くしてご使用下さい。

If it will be used the operating point away from the center line of the lever, it should be shorter as possible.


2. レバー長さについて

レバー長さについては、ツマミを含めて、下図B面より極力短いものをご使用願います。レバー長さについては、作用点までの距離が短いほどしゅう動感触が良好となり、長いほど好ましくない感触になります。

About the length of lever

If conditions permit, it is advisable to use the shortest possible lever.

The longer the length up to operating point, the more unfavorable slide feeling will be given.



3. レバーの駆動に関しては上記内容を考慮の上、セット実装を行いあらかじめ異常のないことをご確認願います。

Regarding the operation of the lever, please consider the above mentioned, and make sure nothing is wrong with the operation under installing in your appliance that you plan to use our products actually.

4. ツマミ挿入及びレバー操作は、ボリュームマウント基板にソリ(曲がり)のない状態で行って下さい。

Knob assembly on the lever and functioning the lever to be performed under the condition of P.C.B. without warp.

ORIGINAL	'91-7-3	Y-Y	K-N	S-A
SYMB	DATE	APPD	CHKD	DSGD



ALPS ELECTRIC CO., LTD.

APPD.
'95.7.24
YOSIOKA

CHKD.
'95.7.24
KIMURA

DSGD.
'95.7.24
Y.SAITOH

TITLE
スライド・ボリューム 仕様書
SPECIFICATIONS
DOCUMENT NO.

4S0001-200

G0447764M

はんだ付け条件

FOLLOW THE NEXT CONDITIONS FOR SOLDERING

1. はんだ SOLDER

JIS Z 3282に規定の63% Snはんだを使用
63% Sn solder specified in JIS Z 3282.

2. 使用基板 BOARD IN USE

両面スルーホール基板又は、片面銅張積層板 板厚 $t = 1.6\text{ mm}$
Double-faces through-hole board or Single-face copper laid laminate board.
Plate thickness (t) = 1.6 mm

3. 自動はんだ< DIP 条件 >

- (1) レバ - 位置 センター付近に設定願います。
- (2) フラックス比重 0.83 ± 0.01 (発泡式)
- (3) フラックス高さ プリント基板の板厚の半分の位置にフラックスの上面が接するレベル (図1)
又、ホリューム挿入面への流れ込みのこと。(フラックス上がり、飛散に注意)
- (4) プリヒート温度 100°C max. 時間1分以内。(プリント基板のホリューム挿入側の温度)
- (5) はんだ温度 260°C max. 時間5秒以内。はんだ回数は1回までとする。

IN THE CASE OF DIP SOLDERING

(1) State of potentiometer

Position a lever in the vicinity of center.

(2) Specific Gravity of Flux

0.83 ± 0.01 (foaming type)

(3) Height of Flux face

A level of the upper face of flux for reaching the position at a half of the plate thickness of printed board. (Fig. 1)

Further, no flow of flux invading on the surface of printed board on the side of installing potentiometer is allowed.

(4) Preheat condition

100°C max.. within 1 minute


(Temperature on the side of installing printed board is designated.)

(5) Soldering condition

Solder temperature: 260°C max.

Soldering period : within 5 seconds

Time of soldering : only one time is permitted



(Fig. 1)

4. 手はんだ IN THE CASE OF MANUAL SOLDERING

はんだ温度 300°C max. 時間3秒以内 はんだ回数は1回までとする。

Solder temperature : 300°C max.

Soldering period : within 3 seconds

Time of soldering : only one time is permitted



ALPS ELECTRIC CO., LTD.


ORIGINAL	DATE	APPD	CHKD	DSGD	TITLE	DOCUMENT NO.
SYMB	'91-9-3	Y-Y	S-A	S-S	スライド ホリューム 仕様書 SPECIFICATIONS 1/2	4S0001-201 G0447764M

5. 注意事項



- (1) はんだ付けの際に、端子にストレスを加えないで下さい。例えば、端子に熱をえたまま製品を動かしますと、かしめ力・タ及び電気的特性が劣化する恐れがあります。
- (2) 両面スルーホール基板を使用する場合は、ホリューム挿入側の端子取付穴に、はんだラントがないようにご配慮願います。ホリューム挿入側での配線が必要な場合は端子取付穴からの直接取り出しを避けスルーホール配線用の穴を設けるなどのご配慮をお願いします。
- (3) ホリューム挿入側へのはんだ上がりは、はんだ熱による端子接触不良の発生原因となりますので(図2)を参照願います。
- (4) リード・配線の場合、ホリューム本体と、はんだ付け部の距離を1mm以上開けてはんだ付け願います。(図3)
- (5) はんだ付けによるホリュームへの影響は、プリント基板の大きさ、ホリュームの取付け位置、はんだ槽の大きさ、等により異なりますのであらかじめ実使用状態で実施し、異常のないことを確認の上、はんだ付けして下さい。

MATTERS TO BE NOTED

- (1) Do not add any stress on terminals in the case of soldering. For instance, forced movement of potentiometer with terminals being heated may probably deteriorate the electric features due to generation of looseness in connection between resistant board and terminals.
- (2) Avoid use of double-faces through-hole board as much as possible. If it is necessary to use it. Do not apply through-hole plating to a hole in which a potentiometer is inserted, and install a land to which terminals are soldered only on a face opposite to the face on the side of installing potentiometer.
- (3) Use caution to soldering process so as to prevent solder from rising up to the surface of printed board on the side of installing potentiometer, because defective contact may take place in terminal connecting part due to soldering heat. (Fig. 2)
- (4) In the case of lead wiring, solder it so that a gap of 1 mm or more may be reserved between the potentiometer body and soldering part. (Fig. 3)
- (5) The grade of influence of soldering exerted on the potentiometer depends upon the size of a printed board, installing position of the potentiometer, and the size of a solder bath etc. Therefore, make sure, in advance, of no abnormal state under the conditions of soldering to be carried our at present.



				ALPS ELECTRIC CO., LTD.		
				APPD.	CHKD.	DSGD.
ORIGINAL	DATE	APPD	CHKD	DSGD.	TITLE	SPECIFICATIONS
SYMB		PDI-ENGI '95.7.24 YOSHIOKA	PDI-ENGI '95.7.24 KINURA	PDI-ENGI '95.7.24 Y.SAITOH	スライド・ホリューム仕様書 SPECIFICATIONS	2/2
ORIGINAL	'91-9-3	Y-Y	S-A	S-S	DOCUMENT NO.	4S0001-201
SYMB	DATE	APPD	CHKD	DSGD		G0447764M



L: LUG TERMINAL ラグ端子とする

- NOTES 1. MOUNTING SCREW THREAD LENGTH IS CHASSIS THICKNESS +2mmMAX.
取付用ネジの首下長さは、シャーシ板厚 +2 mm以下とする。
2. TOP SIDE OF KNOB SHALL BE MOUNTED TO LEVER WITHIN
30mm LENGTH FROM LEVER MTG. SURFACE.
取付面からツマミ先端まで 30 mm以内でご使用願います。

指定なき部分の許容差 TOLERANCES UNLESS OTHERWISE SPEC	
$L \leq 10$	±0.3
$10 < L \leq 100$	±0.5
$100 \leq L$	±0.8
角度 ANGULAR DIMENSION	±5°

PART NO.	NAME	MATERIAL NAME / CODE	FINISH	
		 ALPS ELECTRIC CO., LTD.		
		DSGD. セッケイ K. SATOU '96-06-16	SCALE 1:1	G0447764M S6028N404A
		CHKD. S. ABE '93-06-16		TITLE SLIDE POTENTIOMETER SINGLE UNIT
SYMB	DATE	APPD. Y. YOSHIOKA '93-06-16	UNIT III III	DOCUMENT NO.