

W5W S Cool White

LEDDriving STANDARD | – Suitable replacement for W5W



Areas of application

- Interior lighting

Product benefits

- 3 year guarantee
- Two different light colors for a variety of customization options
- Non selective illumination thanks to homogenous light
- Maintenance-free thanks to long lifetime
- Easy plug and play replacement

Product features

- LED retrofit lamps for various applications in vehicle interiors
- LEDW5W available with color temperature: 6,000 K, 6,700 K
- LEDW5W available with light color: Cool White, Sky White

Product datasheet

Technical data


Electrical data

Nominal voltage	12.0 V
Nominal wattage	1.00 W

Photometrical data

Luminous flux	50 lm
---------------	-------

Dimensions & weight



Length	26.8 mm
Diameter	10.0 mm
Product weight	1.94 g

Additional product data

Base (standard designation)	W2.1x9.5d
-----------------------------	-----------

Certificates & standards

ECE category	≅ W5W
--------------	-------

Country specific categorizations

Order reference	2880CW 1W 12V W
-----------------	-----------------

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899067820	W5W S Cool White	Blister 2	135 mm x 95 mm x 18 mm	0.23 dm ³	24.94 g
4052899067837	W5W S Cool White	Shipping carton box 20	140 mm x 105 mm x 146 mm	2.15 dm ³	190.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

Guarantee terms are available at

▶ www.osram.com/am-guarantee

Legal advice

Not ECE conform

Only approved for off-road use. Any use on public road traffic leads to cancellation of vehicle operating licence and loss of insurance cover.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.