

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20 BY -

ALL RIGHTS RESERVED.

NOTES:

1. MATERIALS:
HOUSING: GLASS FILLED PBT
COLOR : NATURAL/WHITE
CONTACTS: SILVER PLATED COPPER ALLOY

2. FOR SOLID AND STRANDED WIRE AWG 22-18

3. COMPLIES WITH DIRECTIVE 2002/95/EC (ROHS)

4. M3 SCREW TO BE USED FOR MOUNTING

5. DATE CODE YY-WW-D ANY WHERE EXCEPT OVER LOGO OR +/- SIGN.

2213382-1 AS SHOWN
LUMAWISE LED HOLDER Z50 LOW PROFILE

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	RELEASED PER ECR-14-006394	30 APR'14	AB	OL
	A1	ADDED PACKAGING VARIANT	26 AUG'14	MVE	OL
	A2	ECR-15-010267	08JUL2015	KR	MVE
	A3	ECR-16-001206	27JAN2016	KR	MVE

M3 SCREW HOLES

WIRE ENTRANCE

SCALE 3:2

LED CLAMPING FEATURE

LED PRESSURE CONTACTS

LUMAWISE LED HOLDER Z50 LOW PROFILE 1619	2-2213382-1	2x10 PIECES IN TRAY AND BOX 25 BOXES IN SHIPPING BOX
LUMAWISE LED HOLDER Z50 STANDARD PROFILE 1619	1-2213382-2	2x10 PIECES IN TRAY AND BOX 25 BOXES IN SHIPPING BOX
LUMAWISE LED HOLDER Z50 LOW PROFILE 1619	1-2213382-1	2x10 PIECES IN TRAY AND BOX 25 BOXES IN SHIPPING BOX
LUMAWISE LED HOLDER Z50 STANDARD PROFILE 1619	2213382-2	5x4 PIECES IN TRAY 25 TRAYS IN SHIPPING BOX
LUMAWISE LED HOLDER Z50 LOW PROFILE 1619	2213382-1	5x4 PIECES IN TRAY 35 TRAYS IN SHIPPING BOX
DESCRIPTION	PART NO	PACKAGING

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN 31AUG2013

YASHKUMAR

CHK 31AUG2013

M.V.ESSSEN

APVD 31AUG2013

O.I.FIUNSE

PRODUCT SPEC

108-133008

APPLICATION SPEC

114-32048

WEIGHT

-

Customer Drawing

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±-
1 PLC	±-
2 PLC	±-
3 PLC	±-
4 PLC	±-
ANGLES	±-

MATERIAL

-

-

FINISH

-

-

NAME

LUMAWISE LED HOLDER Z50 1619

SIZE

A3

CAGE CODE

-

DRAWING NO

C-2213382

RESTRICTED TO

-

SCALE

2:1

SHEET

1 OF 3

REV

A3

1470-19 (3/13)

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -


ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

SCALE 3:2

2213382-2 AS SHOWN
LUMAWISE LED HOLDER Z50 STANDARD PROFILE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN YASHKUMAR 31AUG2013	 TE Connectivity			
DIMENSIONS: mm		CHK M.V.ESSSEN 31AUG2013				NAME LUMAWISE LED HOLDER Z50 1619
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD O.I.FIUNSE 31AUG2013	PRODUCT SPEC 108-133008			
0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES ±-		APPLICATION SPEC 114-32048	SIZE A3	CAGE CODE -	DRAWING NO C-2213382	RESTRICTED TO -
MATERIAL -		FINISH -	WEIGHT -		SCALE 2:1	
		Customer Drawing		SHEET 2 OF 3		REV A3

1470-19 (3/13)

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20


© COPYRIGHT 20 BY -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-		SEE SHEET 1	-	-	-

THE SKETCH BELOW IS SHOWING THE NOMINAL LED COB DIMENSIONS TO MATCH WITH THE Z50 LED HOLDER 1619 FOR TECHNICAL DETAILS ABOUT A PROPER MATCH WITH A SPECIFIC LED COB ARRAY PLEASE CONTACT A REPRESENTATIVE AT TE-CONNECTIVITY



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	
	0 PLC ±-
	1 PLC ±-
	2 PLC ±-
	3 PLC ±-
	4 PLC ±-
	ANGLES ±-
MATERIAL	FINISH
-	-
-	-

DWN	31AUG2013
YASHKUMAR	
CHK	31AUG2013
M.V.ESSSEN	
APVD	31AUG2013
O.I.FIJNSE	
PRODUCT SPEC	108-133008
APPLICATION SPEC	114-32048
WEIGHT	-
Customer Drawing	

		TE Connectivity	
		NAME LUMAWISE LED HOLDER Z50 1619	
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	-	C-2213382	-
SCALE 2:1		SHEET 3 OF 3	REV A3