









THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
ES		A	INITIAL	13NOV2013	R.W W.H




- NOTES:
- △ MATERIAL
 TERMINAL: PHOSPHOR BRONZE C5210HF, THICKNESS 0.10mm.
 HOUSING: HIGH TEMPERATURE THERMO PLASTIC UL94V-0 BLACK
 - △ FINISH
 TERMINAL: 0.1~0.2 μm GOLD PLATING ON CONTACT AREA, 1.27 MIN. NICKLE UNDER PLATING, 0.025~0.075 μm GOLD PLATING ON SOLDING AREA
 - 3 COPLANARITY: BEFORE REFLOW 0.08 MAX.; AFTER REFLOW 0.1 MAX.
 - 4 PACKAGING: TAPE & REEL.
 DATE CODE: "YWWDS"
 YWWD = PRODUCTION DATE (YEAR, WEEK, DAY).
 S = SHIFT (D=DYA, N=NIGHT)
 - 6 CONTACT CAN NOT TOUCH PCB & TAIL WHEN PRESS TO HOUSING SURFACE.
 - △ CONTACT CAN NOT EXCEED HOUSING EDGE WHEN PRESS TO HOUSING SURFACE.
 - 8 * MEANS KEY DIMENSIONS FOR CUSTOMER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	13NOV2013	 TE Connectivity	NAME ONE PIECE BtoB CONNECTOR 4 PINS, 1.6MM PITCH, HI. 4, TWO ROWS
DIMENSIONS: mm		CHK	13NOV2013		
		APVD	13NOV2013		
TOLERANCES UNLESS OTHERWISE SPECIFIED: ± 0.15		PRODUCT SPEC	-	SIZE	A300779
0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±3°		APPLICATION SPEC	-	CAGE CODE	C-2199172
MATERIAL		WEIGHT	-	DRAWING NO	G-2199172
FINISH		CUSTOMER DRAWING	SCALE 20:1	SHEET 1 OF 2	REV A



NOTES:
 1. MATERIAL: P.S CLEAR, 0.4MM THICKNESS
 2. QUANTITY PER REEL: 3500 PIECES

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN RAY WANG 13NOV2013	 TE Connectivity		
DIMENSIONS: mm		CHK WENKE HE 13NOV2013			
TOLERANCES UNLESS OTHERWISE SPECIFIED: ± 0.15		APVD WENKE HE 13NOV2013	NAME IPC BTB, 4 PINS, 1.6 PITCH, HI.4		
0 PLC \pm 1 PLC \pm 2 PLC \pm 3 PLC \pm 4 PLC \pm ANGLES $\pm 5^{\circ}$		PRODUCT SPEC -	SIZE A300779	CAGE CODE C-2199172	RESTRICTED TO -
MATERIAL -		FINISH -	DRAWING NO		SCALE 3:1
		Customer Drawing	SHEET 2 OF 2		REV A