


SAW Bandpass Filter 203907B



1. Features

- IF Bandpass Filter for CATV
- Plastic Package

2. Package Dimension



Package : SIP5D

Dimensions shown are nominal in millimeters
Tinned CuFe alloy

Pin Configuration	
1	Input
2	Input ground
3	Case ground
4	Output
5	Output

Parameter	Unit	Minimum	Typical	Maximum
Storage Temperature Range	°C	-40	25	85

	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	203907B	
		Rev. Date	2005-01-04	
		Rev.	NT4003-CS01	1/5

SAW Bandpass Filter 203907B



3. Specifications

F₀ = 43.75 MHz

Terminating source impedance : 50Ω

Terminating load impedance : 2KΩ // 3pF

		Minimum	Typical	Maximum
Center Frequency	MHz	-	43.75	-
Insertion Loss	dB	13.0	15.0	17.0
3dB Bandwidth	MHz	-	6.2	-
30dB Bandwidth	MHz	-	7.66	-
SideLobe				
35.06 ~ 39.81 MHz	dB	35.0		
47.81 ~ 55.06 MHz	dB	35.0		
Relative Attenuation				
41.28 MHz	dB	-	0.3	-
46.34 MHz	dB	-	0.2	-
40.81 MHz	dB	1.0	2.5	4.0
46.81 MHz	dB	1.3	2.8	4.3
39.81 MHz	dB	36.0	45.0	
47.81 MHz	dB	36.0	45.0	
Group Delay Variation (40.75 ~46.75 MHz)	nsec	-	50	-
Absolute Delay	usec	-	1.21	-
Temperature Coefficient of Frequency	ppm/°C	-	-72	-

Notes :

- 1) All specifications are based on the matching schematic shown below
- 2) All specifications are measured by Agilent Network analyzer and full 2 port calibration at room temperature
- 3) All attenuation measurements are measured relative to insertion loss


	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	203907B	
		Rev. Date	2005-01-04	
		Rev.	NT4003-CS01	2/5

SAW Bandpass Filter 203907B



4. Matching Schematic

(Actual matching values may vary due to PCB layout and parasitics)



5. Marking Configuration

ITF¹⁾
203907B²⁾

1) Manufacturer name



2) Part Number

	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	203907B	
		Rev. Date	2005-01-04	
		Rev.	NT4003-CS01	3/5

SAW Bandpass Filter 203907B








6. Typical Performance (at +25°C)



	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	203907B	
		Rev. Date	2005-01-04	
		Rev.	NT4003-CS01	4/5

SAW Bandpass Filter 203907B



ITF Co., Ltd.
 102-901, Bucheon Technopark 364,
 Samjeong-Dong, Ojeong-Gu, Bucheon-City,
 Gyeonggi-Do, Korea 421-809

Part No.	203907B	
Rev. Date	2005-01-04	
Rev.	NT4003-CS01	5/5