### CCLHM080 THRU CCLHM150

### SURFACE MOUNT HIGH CURRENT SILICON CURRENT LIMITING DIODE





### **FEATURES:**

- LOW COST
- SUPERIOR LOT TO LOT CONSISTENCY
- HIGH RELIABILITY
- LEADED DEVICES AVAILABLE
- SPECIAL SELECTIONS AVAILABLE

MARKING CODE: SEE MARKING CODE TABLE ON FOLLOWING PAGE

#### **DESCRIPTION:**

The CENTRAL SEMICONDUCTOR CCLHM080 series types are high current silicon field effect current regulator diodes designed for applications requiring a constant current over a wide voltage range. These devices are manufactured in the cost effective SOD-80 double plug case which provides many benefits to the user including space saving and improved thermal characteristics. Special selections of I<sub>P</sub> (regulator current) are available for critical applications.

**MAXIMUM RATINGS:**  $(T_L = 75^{\circ}C)$ 

	SYMBOL		UNITS
Peak Operating Voltage	POV	50	V
Power Dissipation	$P_{D}$	800	mW
Operating and Storage			
Junction Temperature	$T_{J}, T_{stg}$	-65 to +200	°C

TYPE NO.		SULATO CURREN	` '	DYNAMIC IMPEDANCE	KNEE IMPEDANCE	LIMITING VOLTAGE	TEMPERATURE COEFFICIENT
	ΙF	@V <sub>T</sub> =2	5V	Z <sub>T</sub> @V <sub>T</sub> =25V	Z <sub>K</sub> @V <sub>K</sub> =6.0V	V <sub>L</sub> @I <sub>L</sub> =0.8 I <sub>P</sub> MIN	TC*
		mA		МΩ	kΩ	VOLTS	%/°C
	MIN	NOM	MAX	MIN	MIN	MAX	
CCLHM080	6.56	8.20	9.84	0.32	15	3.1	-0.25 TO -0.45
CCLHM100	8.00	10.0	12.0	0.17	6.0	3.5	-0.25 TO -0.45
CCLHM120	9.60	12.0	14.4	0.08	3.0	3.8	-0.25 TO -0.45
CCLHM150	12.0	15.0	18.0	0.03	2.0	4.3	-0.25 TO -0.45

<sup>\*</sup>The Temperature Coefficient is measured between the following points: +25°C, +50°C

(1) PULSED METHOD. PULSE WIDTH (ms)= 
$$\frac{27.5}{\text{IpNOM (mA)}}$$


R5 (22-August 2006)



CCLHM080 THRU CCLHM150

## SURFACE MOUNT HIGH CURRENT SILICON CURRENT LIMITING DIODE

# **SOD-80 CASE - MECHANICAL OUTLINE**



DIMENSIONS				
	INCHES		MILLIMETERS	
SYMBOL	MIN	MAX	MIN	MAX
Α	0.130	0.146	3.30	3.71
В	0.014		0.35	
C (DIA)	0.049	0.067	1.25	1.70

SOD-80 (REV:R2)

# **MARKING CODES:**

CENTRAL TYPE NO.	BAND 1*	BAND 2	BAND 3
CCLHM080	BLACK	GREEN	YELLOW
CCLHM100	BLACK	ORANGE	PINK
CCLHM120	BLACK	ORANGE	WHITE
CCLHM150	BLACK	ORANGE	LIGHT BLUE

<sup>\*</sup> Cathode Band