



Our commitment. Your advantage.

- [Products](#) [Documentation](#) [Resources](#) [My Account](#) [Customer Support](#)

[Home](#) > [Products](#) > [By Type](#) > [Passive Components](#) > [Product Feature Selector](#) > Product Details

3622D471KT Product Details



3622D471KT
(7-1676958-1)

TE Internal Number: 7-1676958-1

[Active](#)

Inductors

[Converted to EU RoHS/ELV Compliant \(Statement of Compliance\)](#)

Product Highlights:

- Inductor
- Inductor Type = Unshielded Power Wirewound
- Lead Type = Surface Mount Terminals
- Wirewound
- Inductance = 470 ?H

[View all Features](#)

Quick Links

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)

- [Add to My Part List](#) [Request Sample](#) [Find Similar Products](#) [Buy Product](#)

Documentation & Additional Information

<p>Product Drawings:</p> <ul style="list-style-type: none"> • POWER INDUCTORS SERIES 3622 (PDF, English) <p>Catalog Pages/Data Sheets:</p> <ul style="list-style-type: none"> • Power Inductor - Type 3622 Series - Tyco Electronics... (PDF, English) <p>Product Specifications:</p> <ul style="list-style-type: none"> • None Available <p>Application Specifications:</p> <ul style="list-style-type: none"> • None Available <p>Instruction Sheets:</p> <ul style="list-style-type: none"> • None Available <p>CAD Files:</p> <ul style="list-style-type: none"> • None Available 	<p>Additional Information:</p> <ul style="list-style-type: none"> • Product Line Information <p>Related Products:</p> <ul style="list-style-type: none"> • Tooling
---	--

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)

<p>Product Type Features:</p> <ul style="list-style-type: none"> • Product Type = Inductor • Inductor Type = Unshielded Power Wirewound • Element = Wirewound • Shielded = No <p>Electrical Characteristics:</p> <ul style="list-style-type: none"> • Inductance (?H) = 470 • DC Resistance (?) = 0.82 • Current, Maximum (mA) = 800 • Package Type = Taped and Reeled • Tolerance (%) = 10 <p>Body Related Features:</p> <ul style="list-style-type: none"> • Lead Type = Surface Mount Terminals • Series = 3622 • Package, Component Size = 14.0 x 18.3 • Mount Style = Surface Mount 	<p>Industry Standards:</p> <ul style="list-style-type: none"> • RoHS/ELV Compliance = RoHS compliant, ELV compliant • Lead Free Solder Processes = Reflow solder capable to 245?C, Reflow solder capable to 260?C • RoHS/ELV Compliance History = Converted to comply with RoHS directive <p>Operation/Application:</p> <ul style="list-style-type: none"> • Application = High Power Circuitry <p>Other:</p> <ul style="list-style-type: none"> • Brand = Sigma Inductors
--	--

[Provide Website Feedback](#) | [Need Help?](#)